




# Jamestown Price List


Effective April 1, 2024

Date	Page	Modification	Description
04.02.24		Updated Pricing	


Statement of Line  
Features & Advantages ..... 2  
Edges | Pulls | Knobs ..... 3  
Grommets | Grommet Reference ..... 4  
Ganging | Height Reference ..... 5  
Modesty Reference | Grain Direction ..... 6  
Drawer Dimensions | FILING Reference..... 7  
Finishes | Specifications..... 8  
Double Pedestal Desk..... 9  
Table Desk..... 11  
Single Pedestal Desk ..... 12  
Service Desk ..... 14  
Returns ..... 15  
Bridges ..... 17  
Freestanding Credenzas ..... 18  
Workstation Credenzas ..... 24  
Single Height Freestanding Overheads..... 26  
Double Height Freestanding Overheads ..... 28  
Overhead Accessories ..... 30  
Single Height Wall Hung Overheads ..... 34  
Wall Hung Accessories..... 36  
Overhead Bookcases ..... 41  
Vertical Full Towers..... 43  
Bookcases..... 45  
Options..... 47  
Power & Data ..... 62




Page 9  
Double Pedestal Desks  
Executive / Breakfront




Page 10  
Double Pedestal Desks  
Overhang Top / Breakfront




Page 11  
Table Desks  
Computer Table




Page 12  
Table Desks  
Wood Top With Hardwood Legs




Page 13  
Workstation Desk  
Breakfront - Single Pedestal -  
Flush Top




Page 14  
Workstation Desk  
Breakfront - Single Pedestal W/  
Overhang Top




Page 15  
Service Workstation Desk  
Breakfront - Single Pedestal - Ser-  
vice Desk




Page 16  
"L" Workstation Returns  
Box/Box/File - Full Modesty/Base




Page 17  
"L" Workstation Returns  
File/File - Full Modesty / Base




Page 18  
"U" Workstation Bridges  
Open Back Bridge




Page 19  
Credenzas  
File/File/Storage




Page 20  
Credenzas  
Kneespace - File/File




Page 21  
Storage Credenza  
Storage Credenza




Page 22  
Lateral File Credenzas  
6/4/2 Drawer




Page 23  
Lateral File Credenzas  
Lateral File




Page 24  
Buffet Credenza  
Buffet Credenza




Page 25  
Workstation Credenzas  
File/File




Page 26  
Workstation Credenzas  
Lateral File




Page 27  
Single Height Overheads  
Panel Door With Cornice Top




Page 28  
Single Height Overheads  
Frame Door With Beveled Glass  
Cornice Top




Page 29  
Double Height Overheads  
Overhead Panel Doors/Cornice  
Top




Page 30  
Double Height Overheads  
Overhead Wood Panel/Cornice  
Top




Page 31  
Double Height Overheads  
Wood Frame Door With Beveled  
Glass/Cornice Top




Page 32  
Double Height Overheads  
Beveled Glass Doors/Cornice Top




Page 33  
Overhead Tackboards




Page 34  
Overhead Dry Marker Boards




Page 35  
Overhead Glassboards




Page 36  
Single Height Wall Hung Over-  
heads  
Panel Door




Page 37  
Single Height Wall Hung Over-  
heads  
Wood Frame Beveled Glass




Page 38  
Wall Hung Tackboards




Page 39  
Wall Hung Dry Marker Boards



Page 40  
Wall Hung Veneer Panels




Page 41  
Wall Hung Glassboards



Frame Door  
W/ Beveled Glass Panel Door Open Bookcase

Page 42  
Single Height Overhead  
35"/29" Bookcase / Hutch Over-  
head With Cornice Top




Frame Door  
W/ Beveled Glass Panel Door Open Bookcase


Page 43  
Single Height Overhead  
70" Bookcase/Hutch Overhead  
With Cornice Top




Statement of Line




Page 44  
Tower Cabinets  
Wardrobe / Storage Tower




Page 45  
Single Door Tower Cabinets  
Wardrobe / Storage Tower




Page 46  
Tower Cabinets  
Lateral File / Storage Tower




Page 47  
Bookcases  
Open Bookcases




Page 48  
Bookcases  
Panel Door Bookcases



Page 49  
Reception Desk  
Reception Desk With Counter



Page 50  
Reception Bridge  
Open Back Bridge



Page 51  
Reception Return  
Return

# DARRAN®

## Veneer

DARRAN only uses HPVA AA Grade Flat Cut Cherry and Walnut Veneers. All veneers are selected and matched for balance and consistency.

## Veneer Tops

Jamestown veneer tops feature a 45-pound density substrate with balanced 3-ply construction. Tops are 1-1/8" thick on MDF core comprised of 100% recycled and recovered wood fibers. All veneer tops are slipmatched and feature a 3mm external solid hardwood band or profile edge.

## Laminate Tops

Jamestown high-pressure laminate tops feature a 45-pound density substrate with balanced 3-ply construction. Tops are 1-1/8" thick on MDF core comprised of 100% recycled and recovered wood fibers. All high pressure laminate tops are available with a profile edge, laminate self-edge or 2mm PVC edge band. Laminates in wood grain patterns feature a fine grain texture that features the polish and luxe of a real wood veneer with a subtle narrow grain structure.

## Cleaning wood & laminate

In addition to regular dusting, give your furniture an occasional cleaning in accordance with our cleaning instructions. DARRAN wood and laminate products can be cleaned with a soft cloth and a mild soap and water mixture. Use approximately 32 oz of water mixed with one tablespoon of dish soap, always wiping with the grain. Dry with a soft cloth, going with the grain, to avoid spotting or streaking.

Wood products should be waxed periodically using a non-wax liquid; please do not use any waxy polish or cleaner. Interior of drawers may also be cleaned with mild soap and water mixture, or any household cleaner that is not petroleum or thinner-based.

## Chassis & pedestal

Chassis components are 3/4" thick core of particle board or MDF rated EPP/SCS/CARB-II material with 3-ply balanced construction. Pedestal and Cabinets feature dowel construction reinforced with steel bracket plates, wood cleats, screws and glue. All units are standard with 1" adjustable glides that allow for leveling of units that are secured in solid wood glide blocks to prevent tear out.

## Overhead cabinet construction

### Freestanding & wall mount

Freestanding Overhead storage cabinets are constructed of 1" and 3/4" thick core of particle board or MDF rated EPP/SCS/CARB-II material with 3-ply balanced construction. Panels are attached with cam fasteners in conjunction with dowels securely adhered with glue. All surface mount cabinets connect to work surface with anti-slip tape. Wall mount cabinets

## Jamestown Features & Advantages

are mounted to the wall with steel "z" bracket attachment method using 5mm euro screws to attach to the back of the cabinet. All units ship with a steel "z" bracket. This bracket is mounted to the wall by field installers. Installers are responsible for selecting and supplying appropriate fasteners for wall conditions.

## Bookcase construction

All chassis (sides, back, top and bottom panels) are constructed with 3/4" thick core of particle board or MDF rated EPP/SCS/CARB-II material with 3-ply balanced construction. Panels are attached with cam-lock fasteners in conjunction with dowels securely adhered with glue. Shelves on all units are 3/4" thick balance 3 ply panels. Optional heavy duty shelves are 1" thick lumber core balanced 5 ply construction.

## Tackboards

Wall mount tackboards are constructed of .75" thick fiberboard. The fabric is precisely aligned and fitted to the tackboard with a sock on cover. Overhead storage tackboards are constructed of .75" thick fiberboard. The fabric is precisely aligned and fitted to the tackboard and adhered to the rigid hardboard with staples. Wall mount cabinets are mounted to the wall with steel "z" bracket attachment method using 5mm euro screws to attach to the back of the cabinet. All units ship with a steel "z" bracket. This bracket is mounted to the wall by field installers. Installers are responsible for selecting and supplying appropriate fasteners for wall conditions.

## Adjustable glides

Glides provide 1" of vertical leveling adjustment. Glide bottom is durable metal. Glides are secured in solid wood blocks that are screwed and glued for durability.

## Drawers

All drawers are constructed of four sides and a bottom, which are attached to a drawer front with screws for easy removal. Drawer fronts are vertically matched in balanced sets. Pencil trays are standard in all box drawers. Drawers are constructed of maple veneer 1/2" thick material for drawer sides, fronts and backs with a UV finish for maximum durability. Drawer bottoms are 3/16" thick 3-ply maple veneer. Drawer boxes are assembled at each corner with dowel joinery for maximum drawer strength. Lifetime free replacement warranty.

## Standard Wood Drawers

Optional hardwood veneer plywood drawers feature banded top and bottom edges for smoothness. Drawers are dowel joint construction with a UV cured finish over maple veneers, plus a lifetime free replacement guarantee.

## Drawer Fronts

Drawer fronts are vertically matched in balanced sets. Doors feature vertical veneer bookmatched horizontally in sets of 2 / 4 and 6 doors. All drawers and doors have traditional scallop profile edge shape. All tower fronts matched in vertical sets.

## Suspensions

All casegoods utilize cold rolled steel zinc plated high-grade drawer suspensions. Box and File drawers are full extension, featuring steel ball bearings for a smoother quieter range of motion with soft close operation and are rated 100lbs. Lateral file drawers are a progressive action full extension suspension with the soft close operation and is rated at 150lbs. Lateral files include anti tip mechanism that will allow only one drawer at a time to be opened. All suspensions are soft close and are warranted for the lifetime of the product.

## Hinges

Units with doors include 95 degree swing hinges.

## Filing

Jamestown features metal file frames around the perimeter of the drawers with cross bars secured to the drawer sides to support hanging files. A metal adjustable cross bar is standard with all file drawers to support letter/legal filing front to back or side to side. File drawers have one adjustable cross bar and lateral files have two adjustable cross bars. See filing reference for details.

## Locks

Locks are Standard on all drawers below the worksurface. Random lock cores are installed at the factory. Some units may be shipped with the same key number. Locks are Silver, Black or Bronze and match pull finish unless otherwise specified.

DARRAN will also send lock cores separately to the dealer at your request. These units will be send with an empty lock core and the Dealer will receive a shipment of the requested lock core/keys.

## Keying

Keying is available either factory or field installed. Factory installed keying is random.

## Wire management

Wire management capabilities include standard and optional worksurface grommets. Specify W-1 under surface wire channels for organization and management of all communication wires and cords. Horizontal J-Channel wire management (Sku: W-1) is sold separately to conceal wire under worksurfaces.

## Grommets

Metal grommets are provided to match the drawer pull selection. Grommet is available in black, silver, white or antique brass. Must specify standard or non-standard location. Black plastic grommets are available as an option for vertical applications.

## Powerports

A large selection of power pods are available and handle power, data, docking stations and communication. See options section for selection..

## LED Task Lights

LED task lighting provides high efficiency, low energy lighting with a long life. Surface mought light is encased in silver aluminum channel with milk lense and rounded end caps. Lights are field installed.


Product specifications listed below:

- Diffuser creates a softer light and eliminates hot spots
- Touch dimmer switch
- Can be “daisy chained” up to 90W
- 4.6 watts per foot
- 120 LEDs per meter
- Certification: UL Listed
- 50,000 hour life span.

Color Temp is 4000K


**Jamestown Edge**

Hardwood Rim Band Species Same As Surface Veneer




**Hookup edge profile**


Coped Edge



**Hardwood beltline molding**



**Scalloped molding**




**Pulls/knobs**

Factory Installed





PL-5 Antique Brass  
PL-50 Brushed Pewter




PL-4 Antique Brass

**Cornice top profile**




DK-5 Antique Brass  
DK-50 Brushed Pewter


**Base profile**



**Drawer/door edge profile**




DK-4  
Antique Brass




DK-114  
Brush Pewter


TM30  
Black  
1-5/8" Dia.



TM31  
Silver  
1-5/8" Dia.



TM33  
Antique Brass  
1-5/8" Dia.



**Optional grommets**

Factory Installed

Grommets (Standard Location)

Specify Color and Left/Right/Center - \$50 ea.  
- Black: TM30-R (Right), TM30-L (Left), TM30-C (Center)

- Silver: TM31-R (Right), TM31-L (Left), TM31-C (Center)

- Antique Brass: TM33-R (Right), TM33-L (Left), TM33-C (Center)

Grommets (Non-Standard Location)

Provide drawing w/ Grommet Location and Specify Color - \$95 ea.

- Black: TM30-NS

- Silver: TM31-NS

- Antique Brass: TM33-NS

TM50  
Black  
1-5/8" Dia.




**Grommets (vertical surface)**

Standard Location - \$50 ea.

- Black Plastic Vertical Surface: TM50-C (Bottom Center)

Non-Standard Location - \$95 ea.

- Black Plastic Vertical Surface: TM50-NS



W1


**Horizontal J-Channel**

Horizontal J-Channel wire management (Sku: W-1) is sold separately to conceal wire under worksurfaces.


**Standard grommet location reference**




Desk  
Specify Right or Left Grommet



6" Overhang Desk  
Specify Right or Left Grommet




6"/12" Bow Front Desk  
Specify Right or Left Grommet



Bridge  
Center Grommet



Return (Left Pedestal Shown)  
Right Pedestal - Left Grommet  
Left Pedestal - Right Grommet



Workstation Credenza  
Center Kneespace Grommet

### Ganging – flush cut modification

30”H Casework Worksurface & Base Ganging Modifications

To gang two casework units, each unit end to be ganged must be flush cut modified for gapless surfaces and cabinet chassis.

Order Option:

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-L: Flush Unit Left (Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100

Flush cut modification per unit includes all modifications to gang to one end or both ends when units are ganged. Modification includes tops, base and molding. Modification reduces width size approximately 1” per end.

Overhead consoles and towers are offered freestanding and ganging – inclusive of flush cut modifications.


Example:

JCM3124CA104W Two Drawer Lateral File (Left) Flush Cut Right – FC-R...\$100


JCM7224CA054W Kneespace Credenza (Right) Flush Cut Left – FC-L...\$100




### Height reference




Typical Single Height Side Profile Wall Hung Overhead




Pedestal Front Profile Box/Box/File



Pedestal Front Profile File/File




Pedestal Front Profile Lateral File



Pedestal Front Profile Multi-File







Top View



**M34**  
Drop Door Tech Modesty




**M51**  
Open Back Modesty with 4" Wire Management Rail




**M37**  
Fixed Full Modesty

## Grain direction


Veneer chassis parts are vertical grain. Doors feature vertical veneer bookmatched horizontally in sets of 2, 4, and 6 doors. Tower fronts are matched in vertical sets.



Desk



Bridge  
Grain Direction on TFL  
Units Above 66" runs end to end



Return  
Grain Direction on TFL Units  
Above 66" runs end to end



Credenza


**Interior drawer dimensions**

UNIT DEPTH	DRAWER	OVERALL DIM			INTERIOR DIM			NOTES
		W	D	H	W	D	H	
15-5/8" Letter	36" Shallow Box	13-1/8	19-11/16	2-9/16	12-1/8	18-11/16	2	Units less than 72"
	36" Box	13-1/8	19-11/16	4	12-1/8	18-11/16	3-7/16	Units less than 72"
	36" File	13-1/8	19-11/16	9-13/16	12-1/8	18-11/16	9-5/16	Units less than 72"
	30" Shallow Box	13-1/8	19-11/16	2-9/16	12-1/8	18-11/16	2	Units less than 72"
	30" Box	13-1/8	19-11/16	4	12-1/8	18-11/16	3-7/16	Units less than 72"
	30" File	13-1/8	19-11/16	9-13/16	12-1/8	18-11/16	9-5/16	Units less than 72"
	24" Shallow Box	13-1/8	16-1/16	2-9/16	12-1/8	15-1/16	2	Units less than 72"
	24" Box	13-1/8	16-1/16	4	12-1/8	15-1/16	3-7/16	Units less than 72"
	24" File	13-1/8	16-1/16	9-13/16	12-1/8	15-1/16	9-5/16	Units less than 72"
18-9/16" Legal	36" Shallow Box	16-1/16	19-11/16	2-9/16	15-1/16	18-11/16	2	Units less than 72"
	36" Box	16-1/6	19-11/16	4	12-1/8	18-11/16	3-7/16	Units 72" & above
	36" File	16-1/6	19-11/16	9-13/16	12-1/8	18-11/16	9-5/16	Units 72" & above
	30" Shallow Box	16-1/16	19-11/16	2-9/16	15-1/16	18-11/16	2	Units less than 72"
	30" Box	16-1/6	19-11/16	4	12-1/8	18-11/16	3-7/16	Units 72" & above
	30" File	16-1/6	19-11/16	9-13/16	12-1/8	18-11/16	9-5/16	Units 72" & above
	24" Shallow Box	16-1/16	16-1/16	2-9/16	15-1/16	15-1/16	2	Units less than 72"
	24" Box	16-1/6	16-1/16	4	12-1/8	15-1/16	3-7/16	Units less than 72"
	24" File	16-1/6	16-1/16	9-13/16	12-1/8	15-1/16	9-5/16	Units less than 72"
29" Lateral	24" File	26-1/2	16-1/16	9-13/16	25-1/2	15-1/16	9-5/16	Workstation Credenzas less than 82"
35" Lateral	24" File	32-1/2	16-1/16	9-13/16	31-1/2	15-1/16	9-5/16	Workstation Credenzas over 83"


**Filing reference**

**Filing for 24" depth units**

13 1/8" Wide File Drawer - 16 1/16" Deep




Letter Front to Back




Legal Side to Side with File Rail

**Filing for 30" & 36" depth units**


13 1/8" Wide File Drawer - 19 11/16" Deep



Letter Front to Back




Legal Side to Side with File Rail




Letter Side to Side with File Rail

**29" Lateral file drawer**

26-1/2" Wide File Drawer - 16-1/16" Deep



Legal Side to Side




Legal Side to Side Letter Front to Back with File Rail




Letter Front to Back with File Rail

**35" Lateral file drawer**


32-1/2" Wide File Drawer - 16-1/16" Deep



Legal Side to Side




Legal Side to Side Letter Front to Back with File Rail




Letter Front to Back with File Rail

WOOD FINISHES




WGW Gunstock Walnut




WHC Honey Cherry



WAC Amber Cherry




WNW Natural Walnut




WSW Smokey Walnut




WBW Henna Walnut



WEW Executive Walnut




WIC Crimson Cherry




WOC KoKo Cherry

HIGH PRESSURE LAMINATES



GHC Honey Cherry




GAC Amber Cherry




GNW Natural Walnut



GEW Executive Walnut



GIC Crimson Cherry



GOC KoKo Cherry




Finish

Welltech Finish delivers a superior furniture coating with exceptional performance that can withstand stringent cleaning agents and possesses unparalleled durability, allowing DARRAN to provide lasting, sustainable products to our customers.

# Jamestown

Double Pedestal Desks  
Executive / Breakfront

[Click here to view statement of line](#)



## 1 Select Model

w" x d" x h"	Weight
84 x 36 x 30	395
72 x 36 x 30	325
72 x 30 x 30	300
66 x 36 x 30	300
66 x 30 x 30	315
60 x 30 x 30	290

Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
JCM8436DD000W 6530	"P" Option N/A	JCM8436DD000G 6530	"M" Option N/A
JCM7236DD000W 5642	"P" Option N/A	JCM7236DD000G 5642	"M" Option N/A
JCM7230DD000W 5506	"P" Option N/A	JCM7230DD000G 5506	"M" Option N/A
JCM6636DD000W 5506	"P" Option N/A	JCM6636DD000G 5506	"M" Option N/A
JCM6630DD000W 4907	"P" Option N/A	JCM6630DD000G 4907	"M" Option N/A
JCM6030DD000W 4720	"P" Option N/A	JCM6030DD000G 4720	"M" Option N/A

## Product Features

- 6" Recessed modesty
- Box/Box/File
- Front profile shaped all edges
- Full extension wood drawers - locking
- Kneespace storage shelf
- Laminate pull out writing shelf
- Soft close suspension drawer(s)
- Traditional center drawer standard
- Beltline Molding

## Options

### Accessories

- K21: Traditional pull-out drawer w/ keyboard tray - \$470

### Grommet (Standard Location)

Specify Color and Location Right/Left - \$50 ea.

- Black: TM30-R (Right), TM30-L (Left)
- Silver: TM31-R (Right), TM31-L (Left)
- Antique Brass: TM33-R (Right), TM33-L (Left)

### Grommets (Non-Standard Location)

Provide drawing w/ Grommet Location and Specify Color - \$95 ea.

- TM30-NS: Black Specify Location
- TM31-NS: Silver Specify Location
- TM33-NS: Antique Brass Specify Location

### Height Adjustable Worksurface

- LFT03: Adjustable height from 29" to 47.5" with a maximum weight capacity of 350 lbs - \$4150

### Locking

- CL-01: Central locking - \$160

### Molding

- DSM1: Delete Scalloped Only - Deduct \$95

### Workstation

- CP-3: Client pull out on approach - \$445

## 2 Select Finish

[Click to view  
Veneer Finishes](#)

[Click to view  
High Pressure Laminates](#)

## 3 Select Edge

[Click to view edges](#)



## 4 Select Hardware


[Click to view details](#)



# Jamestown

Double Pedestal Desks  
Overhang Top / Breakfront

[Click here to view statement of line](#)



## 1 Select Model

w" x d" x h"	Weight
72 x 36 Chassis	410
84 x 42 x 30	
72 x 30 Chassis	375
84 x 36 x 30	
66 x 30 Chassis	325
72 x 36 x 30	
66 x 24 Chassis	280
72 x 30 x 30	

Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
JCM8442DD037W 7007	"P" Option N/A	JCM8442DD037G 7007	"M" Option N/A
JCM8436DD037W 6187	"P" Option N/A	JCM8436DD037G 6187	"M" Option N/A
JCM7236DD037W 5642	"P" Option N/A	JCM7236DD037G 5642	"M" Option N/A
JCM7230DD037W 5370	"P" Option N/A	JCM7230DD037G 5370	"M" Option N/A

## 2 Select Finish

[Click to view  
Veneer Finishes](#)

[Click to view  
High Pressure Laminates](#)

## 3 Select Edge

[Click to view edges](#)



## 4 Select Hardware

[Click to view details](#)



## Product Features

- 6" Recessed modesty
- Beltline molding
- Box/Box/File
- Full extension wood drawers - locking
- Kneespace storage shelf
- Laminate pull out writing shelf
- Soft close suspension drawer(s)
- Traditional center drawer standard

## Notes

- 6" overhang on approach

## Options

### Accessories

- K21: Traditional pull-out drawer w/ keyboard tray - \$470

### Grommet (Standard Location)

Specify Color and Location Right/Left - \$50 ea.

- Black: TM30-R (Right), TM30-L (Left)
- Silver: TM31-R (Right), TM31-L (Left)
- Antique Brass: TM33-R (Right), TM33-L (Left)

### Grommets (Non-Standard Location)

Provide drawing w/ Grommet Location and Specify Color - \$95 ea.

- TM30-NS: Black Specify Location
- TM31-NS: Silver Specify Location
- TM33-NS: Antique Brass Specify Location

### Height Adjustable Worksurface

- LFT03: Adjustable height from 29" to 47.5" with a maximum weight capacity of 350 lbs - \$4150

### Locking

- CL-01: Central locking - \$160



### Molding

- DSM1: Delete Scalloped Only - Deduct \$95

Jamestown

Table Desks  
Computer Table

[Click here to view statement of line](#)



1 Select Model

w" x d" x h"	Weight
48 x 24 x 30	130
42 x 24 x 30	120
36 x 24 x 30	110

Standard Veneer Top Standard Veneer Chassis		Premium Veneer Top Premium Veneer Chassis		High Pressure Laminate Top Veneer Chassis		Thermally Fused Laminate Top Thermally Fused Laminate Chassis	
JCM4824AU225W	2711	"P" Option N/A		JCM4824AU225G	2711	"M" Option N/A	
JCM4224AU225W	2616	"P" Option N/A		JCM4224AU225G	2616	"M" Option N/A	
JCM3624AU225W	2551	"P" Option N/A		JCM3624AU225G	2551	"M" Option N/A	

2 Select Finish

[Click to view  
Veneer Finishes](#)

[Click to view  
High Pressure Laminates](#)

3 Select Edge

[Click to view edges](#)



4 Select Hardware

[Click to view details](#)

Hardware  
N/A

Hardware  
N/A

Product Features

- 1 Standard grommet - matches pull finish or specify black TM30, silver TM31 or antique brass TM33
- 6" D Foot rest/adjustable storage shelf
- Paper/wire access back
- Vertical surface grommet - TM50 Black

Options

Accessories

- K28: Articulating keyboard w/ mouse pad - \$390
- CST20: Add 4 locking 2" diameter casters to computer table - \$140

Grommet (Standard Location)

Specify Color and Location Right/Left - \$50 ea.

- Black: TM30-R (Right), TM30-L (Left), TM30-C (Center)

- Silver: TM31-R (Right), TM31-L (Left), TM31-C (Center)

- Antique Brass: TM33-R (Right), TM33-L (Left), TM33-C (Center)

Grommets (Non-Standard Location)

Provide drawing w/ Grommet Location and Specify Color - \$95 ea.

- TM30-NS: Black Specify Location

- TM31-NS: Silver Specify Location

- TM33-NS: Antique Brass Specify Location


Molding

- DSM2: Delete Scalloped Only - Deduct \$50



# Jamestown

Table Desks  
Wood Top With Hardwood Legs



[Click here to view statement of line](#)

## 1 Select Model

w" x d" x h"  
72 x 36 x 30  
66 x 30 x 30

Weight  
150  
130

Standard Veneer Top Standard Veneer Chassis		Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
------------------------------------------------	--	----------------------------------------------	----------------------------------------------	------------------------------------------------------------------

JCM7236DT107W	3064	"P" Option N/A	JCM7236DT107G	3064	"M" Option N/A
JCM6630DT107W	2842	"P" Option N/A	JCM6630DT107G	2842	"M" Option N/A

## Product Features

- 2" Square fluted hardwood legs
- 4" Apron rail w/ beltline molding

## 2 Select Finish

[Click to view  
Veneer Finishes](#)

[Click to view  
High Pressure Laminates](#)

## 3 Select Edge

[Click to view edges](#)



## 4 Select Hardware

[Click to view details](#)



## Options

### Grommet (Standard Location)

Specify Color and Location Right/Left - \$50 ea.

- Black: TM30-R (Right), TM30-L (Left), TM30-C (Center)
- Silver: TM31-R (Right), TM31-L (Left), TM31-C (Center)
- Antique Brass: TM33-R (Right), TM33-L (Left), TM33-C (Center)

### Grommets (Non-Standard Location)


Provide drawing w/ Grommet Location and Specify Color - \$95 ea.

- TM30-NS: Black Specify Location
- TM31-NS: Silver Specify Location
- TM33-NS: Antique Brass Specify Location

# Jamestown

Workstation Desk  
Breakfront - Single Pedestal - Flush Top

[Click here to view statement of line](#)



## 1 Select Model

w" x d" x h"

Weight

Model	Weight	SKU	Weight	Option	SKU	Weight	Option
Left Pedestal							
72 x 36 x 30	275	JCM7236DS009W	5529	"P" Option N/A	JCM7236DS009G	5529	"M" Option N/A
72 x 30 x 30	265	JCM7230DS009W	4498	"P" Option N/A	JCM7230DS009G	4498	"M" Option N/A
66 x 36 x 30	265	JCM6636DS009W	5401	"P" Option N/A	JCM6636DS009G	5401	"M" Option N/A
66 x 30 x 30	225	JCM6630DS009W	4457	"P" Option N/A	JCM6630DS009G	4457	"M" Option N/A
Right Pedestal							
72 x 36 x 30	275	JCM7236DS010W	5529	"P" Option N/A	JCM7236DS010G	5529	"M" Option N/A
72 x 30 x 30	265	JCM7230DS010W	4498	"P" Option N/A	JCM7230DS010G	4498	"M" Option N/A
66 x 36 x 30	265	JCM6636DS010W	5401	"P" Option N/A	JCM6636DS010G	5401	"M" Option N/A
66 x 30 x 30	225	JCM6630DS010W	4457	"P" Option N/A	JCM6630DS010G	4457	"M" Option N/A

## Product Features

- Box/Box/File
- Center drawer standard
- Full extension drawers - locking
- Kneespace storage shelf
- Laminate pull out writing shelf
- Soft close suspension drawer(s)

## Options

### Accessories

- K28: Articulating keyboard w/ mouse pad - \$390

### Drawers

- K21: Traditional Pull out drawer w/ keyboard tray - \$470 **Grommet (Standard Location)**

### (Standard Location)

Specify Color and Location Right/Left - \$50 ea.

- Black: TM30-R (Right), TM30-L (Left)
- Silver: TM31-R (Right), TM31-L (Left)
- Antique Brass: TM33-R (Right), TM33-L (Left)

### Grommets (Non-Standard Location)

Provide drawing w/ Grommet Location and Specify Color - \$95 ea.

- TM30-NS: Black Specify Location
- TM31-NS: Silver Specify Location
- TM33-NS: Antique Brass Specify Location

### Height Adjustable Worksurface

- LFT03: Adjustable height from 29" to 47.5" with a maximum weight capacity of 350 lbs - \$4150

### Locking

- CL-01: Central locking - \$160

### Molding

- DSM1: Delete Scalloped Only - Deduct - \$95

### Workstation

- CP-3: Client pull out on approach - \$445

## 2 Select Finish

[Click to view Veneer Finishes](#)

[Click to view High Pressure Laminates](#)

## 3 Select Edge

[Click to view edges](#)



Traditional



Traditional

## 4 Select Hardware

[Click to view details](#)



PL-4 Antique Brass



PL-5 Antique Brass  
PL-50 Brushed Pewter



PL-4 Antique Brass




PL-5 Antique Brass  
PL-50 Brushed Pewter

# Jamestown

Workstation Desk

Breakfront - Single Pedestal W/ Overhang Top

[Click here to view statement of line](#)



## 1 Select Model

w" x d" x h"	Weight
Left Pedestal	
72 x 36 x 30	275
72 x 30 x 30	255
66 x 36 x 30	260
66 x 30 x 30	225
Right Pedestal	
72 x 36 x 30	275
72 x 30 x 30	255
66 x 36 x 30	260
66 x 30 x 30	225

Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
JCM7236DS634W 5279	"P" Option N/A	JCM7236DS634G 5279	"M" Option N/A
JCM7230DS634W 4582	"P" Option N/A	JCM7230DS634G 4582	"M" Option N/A
JCM6636DS634W 5049	"P" Option N/A	JCM6636DS634G 5049	"M" Option N/A
JCM6630DS634W 4247	"P" Option N/A	JCM6630DS634G 4247	"M" Option N/A
JCM7236DS633W 5279	"P" Option N/A	JCM7236DS633G 5279	"M" Option N/A
JCM7230DS633W 4582	"P" Option N/A	JCM7230DS633G 4582	"M" Option N/A
JCM6636DS633W 5049	"P" Option N/A	JCM6636DS633G 5049	"M" Option N/A
JCM6630DS633W 4247	"P" Option N/A	JCM6630DS633G 4247	"M" Option N/A

## Product Features

- Box/Box/File
- Center drawer standard
- Full extension drawers - locking
- Kneespace storage shelf
- Laminate pull out writing shelf
- Soft close suspension drawer(s)

## Notes

- 6" overhang on approach
- For 72 x 36 x 30 Chassis Size is 70 x 30
- For 66 x 36 x 30 Chassis Size is 64 x 30
- For 72 x 30 x 30 Chassis Size is 70 x 24
- For 66 x 30 x 30 Chassis Size is 64 x 24

## Options

### Accessories

- K28: Articulating keyboard w/ mouse pad - \$390

### Drawers

- K21: Traditional Pull out drawer w/ keyboard tray - \$470

### Grommet (Standard Location)

Specify Color and Location Right/Left - \$50 ea.

- Black: TM30-R (Right), TM30-L (Left)
- Silver: TM31-R (Right), TM31-L (Left)
- Antique Brass: TM33-R (Right), TM33-L (Left)

### Grommets (Non-Standard Location)

Provide drawing w/ Grommet Location and Specify Color - \$95 ea.

- TM30-NS: Black Specify Location
- TM31-NS: Silver Specify Location
- TM33-NS: Antique Brass Specify Location

### Height Adjustable Worksurface

- LFT03: Adjustable height from 29" to 47.5" with a maximum weight capacity of 350 lbs - \$4150

### Locking

- CL-01: Central locking - \$160

### Molding

- DSM1: Delete Scalloped Only - Deduct - \$95

## 2 Select Finish

[Click to view Veneer Finishes](#)

[Click to view High Pressure Laminates](#)

## 3 Select Edge

[Click to view edges](#)



## 4 Select Hardware


[Click to view details](#)



# Jamestown

Service Workstation Desk  
Breakfront - Single Pedestal - Service Desk

[Click here to view statement of line](#)



## 1 Select Model

w" x d" x h"  
Left Pedestal  
72 x 30/48 x 30  
Right Pedestal  
72 x 30/48 x 30

Weight

325  
325

JCM7248DS754W 5827  
JCM7248DS753W 5827

"P" Option N/A  
"P" Option N/A

JCM7248DS754G 5827  
JCM7248DS753G 5827

"M" Option N/A  
"M" Option N/A

## 2 Select Finish

[Click to view Veneer Finishes](#)

[Click to view High Pressure Laminates](#)

## 3 Select Edge

[Click to view edges](#)



## 4 Select Hardware

[Click to view details](#)



## Product Features

- 1 Standard grommet - matches pull finish or specify black TM30, silver TM31 or antique brass TM33
- Box/Box/File
- Full extension drawers - locking
- Kneespace storage Shelves
- Laminate pull out writing shelf

## Options

### Accessories

- K28: Articulating keyboard w/ mouse pad - \$390

### Drawer

- K17: Traditional center drawer - \$235
- K21: Traditional Pull out drawer w/ keyboard tray - \$470

### Grommets (Non-Standard Location)

Provide drawing w/ Grommet Location and Specify Color - \$95 ea.

- TM30-NS: Black Specify Location
- TM31-NS: Silver Specify Location
- TM33-NS: Antique Brass Specify Location

### Molding

- DSM1: Delete Scalloped Only - Deduct \$95


### Service Desk

- T90: Hardwood Edge Curve User Side - \$620
- T91: Hardwood Edge Approach Side Bowfront Edge - \$310

# Jamestown

"L" Workstation Returns  
 Box/Box/File - Full Modesty/Base

[Click here to view statement of line](#)



## 1 Select Model

w" x d" x h"	Weight
Left Pedestal	
60 x 24 x 30	165
48 x 24 x 30	150
42 x 24 x 30	140
Right Pedestal	
60 x 24 x 30	165
48 x 24 x 30	150
42 x 24 x 30	140

Model	Weight	Options	Material	Modesty
JCM6024RE207W 3364	3364	"P" Option N/A	JCM6024RE207G 3364	"M" Option N/A
JCM4824RE207W 3187	3187	"P" Option N/A	JCM4824RE207G 3187	"M" Option N/A
JCM4224RE207W 3068	3068	"P" Option N/A	JCM4224RE207G 3068	"M" Option N/A
JCM6024RE209W 3364	3364	"P" Option N/A	JCM6024RE209G 3364	"M" Option N/A
JCM4824RE209W 3187	3187	"P" Option N/A	JCM4824RE209G 3187	"M" Option N/A
JCM4224RE209W 3068	3068	"P" Option N/A	JCM4224RE209G 3068	"M" Option N/A

## Product Features

- 1 Standard grommet - matches pull finish or specify black TM30, silver TM31 or antique brass TM33
- Coped ends for flush surface transition
- Fixed full modesty
- Full extension drawers - locking
- Soft close suspension drawer(s)

## Options

### Accessories

- K28: Articulating keyboard w/ mouse pad - \$390

### Drawer

- K17: Traditional center drawer - \$235
- P40B: extra Box/Box/File or File/File to Kneespace - \$1025

### Flush Cut

- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left (Facing) for Ganging - \$100

### Grommets (Non-Standard Location)

- Provide drawing w/ Grommet Location and Specify Color - \$95 ea.
- TM30-NS: Black Specify Location
- TM31-NS: Silver Specify Location
- TM33-NS: Antique Brass Specify Location

### Modesty

- M34T: Drop Door Tech Modesty - \$130
- M51: Open Back Modesty with Wire Mgmt Rail - Deduct \$95

### Molding

- DSM2: Beltline only/ Delete scalloped molding - Deduct \$50

## 2 Select Finish

[Click to view Veneer Finishes](#)

[Click to view High Pressure Laminates](#)

## 3 Select Edge

[Click to view edges](#)



## 4 Select Hardware


[Click to view details](#)



Jamestown

"L" Workstation Returns  
File/File - Full Modesty / Base

[Click here to view statement of line](#)



1 Select Model

w" x d" x h"	Weight
60 x 24 x 30	180
48 x 24 x 30	160
42 x 24 x 30	150
60 x 24 x 30	180
48 x 24 x 30	160
42 x 24 x 30	150

Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
JCM6024RE195W 3364	"P" Option N/A	JCM6024RE195G 3364	"M" Option N/A
JCM4824RE195W 3187	"P" Option N/A	JCM4824RE195G 3187	"M" Option N/A
JCM4224RE195W 3068	"P" Option N/A	JCM4224RE195G 3068	"M" Option N/A
JCM6024RE196W 3364	"P" Option N/A	JCM6024RE196G 3364	"M" Option N/A
JCM4824RE196W 3187	"P" Option N/A	JCM4824RE196G 3187	"M" Option N/A
JCM4224RE196W 3068	"P" Option N/A	JCM4224RE196G 3068	"M" Option N/A

Product Features

- 1 Standard grommet - matches pull finish or specify black TM30, silver TM31 or antique brass TM33
- Coped ends for flush surface transition
- Fixed full modesty
- Full extension drawers - locking
- Soft close suspension drawer(s)

Options

Accessories

- K28: Articulating keyboard w/ mouse pad - \$390

Drawer

- K17: Traditional center drawer - \$235
- P40B: extra Box/Box/File or File/File to Kneespace - \$1025

Flush Cut

- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left (Facing) for Ganging - \$100

Grommets (Non-Standard Location)

- Provide drawing w/ Grommet Location and Specify Color - \$95 ea.
- TM30-NS: Black Specify Location
- TM31-NS: Silver Specify Location
- TM33-NS: Antique Brass Specify Location

Modesty

- M34T: Drop Door Tech Modesty - \$130
- M51: Open Back Modesty with Wire Mgmt Rail - Deduct \$95

Molding

- DSM2: Beltline only/ Delete scalloped molding - Deduct \$50

2 Select Finish

[Click to view Veneer Finishes](#)

[Click to view High Pressure Laminates](#)

3 Select Edge

[Click to view edges](#)



Traditional



Traditional

4 Select Hardware

[Click to view details](#)



PL-4 Antique Brass



PL-5 Antique Brass  
PL-50 Brushed Pewter



PL-4 Antique Brass




PL-5 Antique Brass  
PL-50 Brushed Pewter



# Jamestown

“U” Workstation Bridges  
Open Back Bridge

[Click here to view statement of line](#)



## 1 Select Model

w" x d" x h"	Weight
48 x 24 x 30	70
42 x 24 x 30	65
36 x 24 x 30	45

Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
JCM4824BR151W 1675	"P" Option N/A	JCM4824BR151G 1675	"M" Option N/A
JCM4224BR151W 1569	"P" Option N/A	JCM4224BR151G 1569	"M" Option N/A
JCM3624BR151W 1458	"P" Option N/A	JCM3624BR151G 1458	"M" Option N/A

## Product Features

- 4"H back rail - open back
- Center grommet standard
- Coped ends for flush surface transition

## Options

### Accessories

- K28: Articulating keyboard w/ mouse pad - \$390

### Drawer

- K17: Traditional center drawer - \$235

### Grommets (Non-Standard Location)

Provide drawing w/ Grommet Location and Specify Color - \$95 ea.

- TM30-NS: Black Specify Location
- TM31-NS: Silver Specify Location
- TM33-NS: Antique Brass Specify Location

### Modesty

- M37: "W" "G" Style Fixed Full Modesty w/ Molding - \$130
- M34T-O: "W" "G" Style Drop Door Tech Modesty - \$310

## 2 Select Finish

[Click to view  
Veneer Finishes](#)

[Click to view  
High Pressure Laminates](#)

## 3 Select Edge

[Click to view edges](#)



## 4 Select Hardware

[Click to view details](#)


Hardware  
N/A

Hardware  
N/A

Jamestown

Credenzas  
File/File/Storage

[Click here to view statement of line](#)



1 Select Model

w" x d" x h"  
File/ File

Weight

		Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
72 x 24 x 30	280	JCM7224CA050W 4688	"P" Option N/A	JCM7224CA050G 4688	"M" Option N/A
66 x 24 x 30	250	JCM6624CA050W 4465	"P" Option N/A	JCM6624CA050G 4465	"M" Option N/A
Lateral File					
89 x 24 x 30	425	JCM8924CA651W 8355	"P" Option N/A	JCM8924CA651G 8355	"M" Option N/A

2 Select Finish

[Click to view  
Veneer Finishes](#)

[Click to view  
High Pressure Laminates](#)

3 Select Edge

[Click to view edges](#)



4 Select Hardware

[Click to view details](#)



Product Features

- 1 Adjustable veneer shelf behind door set
- File/File n/a w/ beltline molding
- Fronts profile shaped all edges
- Full pedestals feature File/File
- + - iWi & iGi Box and File Drawers feature soft close suspensions (Lateral Drawers Feature ball bearing suspensions)

Notes

- Unit has a black back panel and is not designed for open plan use. Select OPB Option for Open Plan application.

Options

Door

- D2: Door Lock - \$100 per door set
- D6: Delete Doors - n/c
- D9SC: Soft Close Door Hinges - \$20 per door

Drawer

- P6: Modify File/File to Box/Box/File - \$55 per pedestal
- PL-DBL: Add second pull to lateral file drawer - \$20 per Pull

Flush Cut

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left (Facing) for Ganging - \$100

Grommet (Standard Location)

- Specify Color and Location (Right/Left/Center) - \$50 ea.
- Black: TM30-R (Right), TM30-L (Left), TM30-C (Center)
- Silver: TM31-R (Right), TM31-L (Left), TM31-C (Center)
- Antique Brass: TM33-R (Right), TM33-L (Left), TM33-C (Center)

Molding

- DSM2: Delete Scalloped Only - Deduct \$50
- SPM10: Add scallop panel molding to doors - \$70 per door


Open Plan \_ Finished Back

- OPB: "W" "G" Style - Modify Unit for Open Plan Application - \$295

# Jamestown

Credenzas  
Kneespace - File/File

[Click here to view statement of line](#)



## 1 Select Model

w" x d" x h"  
Lateral File  
89 x 24 x 30  
File/ File  
72 x 24 x 30  
66 x 24 x 30

Weight	Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
315	JCM8924CA052W 6696	"P" Option N/A	JCM8924CA052G 6696	"M" Option N/A
250	JCM7224CA054W 4501	"P" Option N/A	JCM7224CA054G 4501	"M" Option N/A
220	JCM6624CA054W 4319	"P" Option N/A	JCM6624CA054G 4319	"M" Option N/A

## 2 Select Finish

[Click to view  
Veneer Finishes](#)

[Click to view  
High Pressure Laminates](#)

## 3 Select Edge

[Click to view edges](#)



## 4 Select Hardware

[Click to view details](#)



## Product Features

- File/File
- Fronts profile shaped all edges
- Kneespace with full back panel
- iWi & iGi Box and File Drawers feature soft close suspensions (Lateral Drawers Feature ball bearing suspensions)

## Notes

- Unit has a black back panel and is not designed for open plan use. Select OPB Option for Open Plan application.

## Options

### Accessories

- K28: Articulating keyboard w/ mouse pad - \$390

### Drawer

- K17: Traditional center drawer - \$235
- K21: Traditional Pull out drawer w/ keyboard tray - \$470
- PL-DBL: Add second pull to lateral file drawer - \$20 per Pull

### Flush Cut

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left (Facing) for Ganging - \$100

### Grommet (Standard Location)

- Specify Color - \$50 ea.
- Black: TM30-C (Center)
- Silver: TM31-C (Center)
- Antique Brass: TM33-C (Center)

### Grommets (Non-Standard Location)

- Provide drawing w/ Grommet Location and Specify Color - \$95 ea.
- TM30-NS: Black Specify Location
- TM31-NS: Silver Specify Location
- TM33-NS: Antique Brass Specify Location

### Locking

- CL-01: Central locking - \$160 (Only available when K17 is specified)

### Modesty

- M34T: Drop Door Tech Modesty - \$130
- M51: Open Back Modesty with Wire Mgmt Rail - Deduct \$95

### Molding


- DSM2: Delete Scalloped Only - Deduct \$50

### Open Plan \_ Finished Back

- OPB: "W" "G" Style - Modify Unit for Open Plan Application - \$295

Jamestown

Storage Credenza  
Storage Credenza



[Click here to view statement of line](#)

1 Select Model

w" x d" x h"	Weight
30" Height	
89 x 24 x 30	320
72 x 24 x 30	250
66 x 24 x 30	240
60 x 24 x 30	225
37 x 24 x 30	120

Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis																				
<table border="1"> <tr> <td>JCM8924CA125W</td> <td>7022</td> </tr> <tr> <td>JCM7224CA125W</td> <td>5659</td> </tr> <tr> <td>JCM6624CA125W</td> <td>5521</td> </tr> <tr> <td>JCM6024CA125W</td> <td>5453</td> </tr> <tr> <td>JCM3724CA125W</td> <td>2822</td> </tr> </table>	JCM8924CA125W	7022	JCM7224CA125W	5659	JCM6624CA125W	5521	JCM6024CA125W	5453	JCM3724CA125W	2822	<p>"P" Option N/A</p> <p>"P" Option N/A</p> <p>"P" Option N/A</p> <p>"P" Option N/A</p> <p>"P" Option N/A</p>	<table border="1"> <tr> <td>JCM8924CA125G</td> <td>7022</td> </tr> <tr> <td>JCM7224CA125G</td> <td>5659</td> </tr> <tr> <td>JCM6624CA125G</td> <td>5521</td> </tr> <tr> <td>JCM6024CA125G</td> <td>5453</td> </tr> <tr> <td>JCM3724CA125G</td> <td>2822</td> </tr> </table>	JCM8924CA125G	7022	JCM7224CA125G	5659	JCM6624CA125G	5521	JCM6024CA125G	5453	JCM3724CA125G	2822	<p>"M" Option N/A</p> <p>"M" Option N/A</p> <p>"M" Option N/A</p> <p>"M" Option N/A</p> <p>"M" Option N/A</p>
JCM8924CA125W	7022																						
JCM7224CA125W	5659																						
JCM6624CA125W	5521																						
JCM6024CA125W	5453																						
JCM3724CA125W	2822																						
JCM8924CA125G	7022																						
JCM7224CA125G	5659																						
JCM6624CA125G	5521																						
JCM6024CA125G	5453																						
JCM3724CA125G	2822																						

2 Select Finish

[Click to view  
Veneer Finishes](#)

[Click to view  
High Pressure Laminates](#)

3 Select Edge

[Click to view edges](#)



4 Select Hardware

[Click to view details](#)



Product Features

- 1 Adjustable veneer shelf behind door set

Notes

- Unit has a black back panel and is not designed for open plan use. Select OPB Option for Open Plan application.

Options

Accessories

- REF-01: Modify storage section for refrigerator (Open back/water mat) - \$205

Door

- D2: Door Lock - \$100 per door set
- D6: Delete Doors - n/c
- D9SC: Soft Close Door Hinges - \$20 per door

Flush Cuts

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Right(Facing) for Ganging - \$100

Grommet (Standard Location)

- Specify Color and Location (Right/Left/Center) - \$50 ea.
- Black: TM30-R (Right), TM30-L (Left), TM30-C (Center)
- Silver: TM31-R (Right), TM31-L (Left), TM31-C (Center)
- Antique Brass: TM33-R (Right), TM33-L (Left), TM33-C (Center)

Grommets (Non-Standard Location)

- Provide drawing w/ Grommet Location and Specify Color - \$95 ea.
- TM30-NS: Black Specify Location
- TM31-NS: Silver Specify Location
- TM33-NS: Antique Brass Specify Location

Molding

- DSM2: Delete Scalloped Only - Deduct \$50


Open Plan \_ Finished Back

- OPB: "W" "G" Style - Modify Unit for Open Plan Application - \$295

Jamestown

Lateral File Credenzas  
6/4/2 Drawer

[Click here to view statement of line](#)



1 Select Model

w" x d" x h"	Weight
6 Drawer	
89 x 24 x 30	440
4 Drawer	
72 x 24 x 30	290
60 x 24 x 30	250
2 Drawer	
37 x 24 x 30	165
31 x 24 x 30	150

	Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
	JCM8924CA104W 8531	"P" Option N/A	JCM8924CA104G 8531	"M" Option N/A
	JCM7224CA104W 5605	"P" Option N/A	JCM7224CA104G 5605	"M" Option N/A
	JCM6024CA104W 5424	"P" Option N/A	JCM6024CA104G 5424	"M" Option N/A
	JCM3724CA104W 2860	"P" Option N/A	JCM3724CA104G 2860	"M" Option N/A
	JCM3124CA104W 2736	"P" Option N/A	JCM3124CA104G 2736	"M" Option N/A

2 Select Finish

[Click to view Veneer Finishes](#)

[Click to view High Pressure Laminates](#)

3 Select Edge

[Click to view edges](#)



4 Select Hardware

[Click to view details](#)



Product Features

- Legal/Letter Filing
- Features ball bearing suspensions, suspensions are full extension
- Top profile shaped 3 sides


Notes

- Unit has a black back panel and is not designed for open plan use. Select OPB Option for Open Plan application.

Options

- Drawer**
  - PL-DBL: Add second pull to lateral file drawer - \$20 per Pull
- Flush Cut**
  - FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
  - FC-R: Flush Unit Right (Facing) for Ganging - \$100
  - FC-L: Flush Unit Right(Facing) for Ganging - \$100
- Molding**
  - DSM2: Delete Scalloped Only - Deduct - \$50
- Open Plan \_ Finished Back**
  - OPB: "W" "G" Style - Modify Unit for Open Plan Application - \$295

**Jamestown**  
Lateral File Credenzas  
Lateral File



[Click here to view statement of line](#)

**1 Select Model**

w" x d" x h"  
Four Drawer  
37 x 24 x 54  
31 x 24 x 54

Weight

Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
------------------------------------------------	----------------------------------------------	----------------------------------------------	------------------------------------------------------------------

250  
230

JCM3724FI111W 4783  
JCM3124FI111W 4595

"P" Option N/A  
"P" Option N/A

JCM3724FI111G 4783  
JCM3124FI111G 4595

"M" Option N/A  
"M" Option N/A

**2 Select Finish**

[Click to view  
Veneer Finishes](#)

[Click to view  
High Pressure Laminates](#)

**3 Select Edge**

[Click to view edges](#)



**4 Select Hardware**

[Click to view details](#)



**Product Features**

- Legal/Letter Filing
- Features ball bearing suspensions, suspensions are full extension
- Top profile shaped 3 sides

**Notes**

- Unit has a black back panel and is not designed for open plan use. Select OPB Option for Open Plan application.

**Options**

**Drawer**

- PL-DBL: Add second pull to lateral file drawer - \$20 per Pull

**Flush Cut**

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Right(Facing) for Ganging - \$100

**Molding**

- DSM2: Delete Scalloped Only - Deduct - \$50

**Open Plan \_ Finished Back**


- OPB: "W" "G" Style - Modify Unit for Open Plan Application - \$295



Jamestown

Buffet Credenza  
Buffet Credenza

[Click here to view statement of line](#)



1 Select Model

w" x d" x h"  
72 x 24 x 36  
37 x 24 x 36

Weight  
300  
150

Standard Veneer Top Standard Veneer Chassis		Premium Veneer Top Premium Veneer Chassis		High Pressure Laminate Top Veneer Chassis		Thermally Fused Laminate Top Thermally Fused Laminate Chassis	
------------------------------------------------	--	----------------------------------------------	--	----------------------------------------------	--	------------------------------------------------------------------	--

JCM7224CA126W	7080	"P" Option N/A		JCM7224CA126G	7080	"M" Option N/A	
JCM3724CA126W	3695	"P" Option N/A		JCM3724CA126G	3695	"M" Option N/A	

Product Features

- 1 Adjustable veneer shelf behind door set
- Full extension drawers - locking
- Soft close suspension drawer(s)
- Utility drawer w/ felt liner

Notes

- Unit has a black back panel and is not designed for open plan use. Select OPB Option for Open Plan application.

Options

Door

- D2: Door Lock - \$100 per door set
- D6: Delete Doors - n/c
- D9SC: Soft Close Door Hinges - \$20 per door

Flush Cut

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left(Facing) for Ganging - \$100

Molding

- DSM2: Delete Scalloped Only - Deduct - \$50

Open Plan \_ Finished Back

- OPB: "W" "G" Style - Modify Unit for Open Plan Application - \$295

2 Select Finish

[Click to view  
Veneer Finishes](#)

[Click to view  
High Pressure Laminates](#)

3 Select Edge

[Click to view edges](#)



4 Select Hardware


[Click to view details](#)



# Jamestown

Workstation Credenzas  
File/File

[Click here to view statement of line](#)



## 1 Select Model

w" x d" x h"	Weight
Left Pedestal	
72 x 24 x 30	175
66 x 24 x 30	160
Right Pedestal	
72 x 24 x 30	175
66 x 24 x 30	160

	Standard Veneer Top Standard Veneer Chassis		Premium Veneer Top Premium Veneer Chassis		High Pressure Laminate Top Veneer Chassis		Thermally Fused Laminate Top Thermally Fused Laminate Chassis	
Click to view Veneer Finishes					Click to view High Pressure Laminates			
Click to view edges								
Click to view details	PL-4 Antique Brass PL-5 Antique Brass PL-50 Brushed Pewter				PL-4 Antique Brass PL-5 Antique Brass PL-50 Brushed Pewter			
	JCM7224CA086W	4139	"P" Option N/A		JCM7224CA086G	4139	"M" Option N/A	
	JCM6624CA086W	3953	"P" Option N/A		JCM6624CA086G	3953	"M" Option N/A	
	JCM7224CA087W	4139	"P" Option N/A		JCM7224CA087G	4139	"M" Option N/A	
	JCM6624CA087W	3953	"P" Option N/A		JCM6624CA087G	3953	"M" Option N/A	

## Product Features

- File drawer reinforced for extra storage capacity
- Full extension drawers - locking
- Full panel modesty
- Legal/Letter filing
- Soft close suspension drawer(s)

## Notes

- Unit has a black back panel and is not designed for open plan use. Select OPB Option for Open Plan application.

## Options

### Accessories

- K28: Articulating keyboard w/ mouse pad - \$390

### Drawer

- P6: Modify File/File to Box/Box/File - \$55 per pedestal
- P40B: extra Box/Box/File or File/File to Kneespace - \$1025

### Flush Cut

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left (Facing) for Ganging - \$100

### Grommet (Standard Location)

- Specify Color - \$50 ea.
- Black: TM30-C (Center)
- Silver: TM31-C (Center)
- Antique Brass: TM33-C (Center)

### Grommets (Non-Standard Location)

- Provide drawing w/ Grommet Location and Specify Color - \$95 ea.
- TM30-NS: Black Specify Location
- TM31-NS: Silver Specify Location
- TM33-NS: Antique Brass Specify Location

### Modesty

- M34T: Drop Door Tech Modesty - \$130
- M51: Open Back Modesty with Wire Mgmt Rail - Deduct \$95

### Molding

- DSM2: Beltline only/ Delete scalloped molding - Deduct \$50


### Open Plan \_ Finished Back

- OPB: Modify Unit for Open Plan Application - \$295

# Jamestown

Workstation Credenzas  
Lateral File

[Click here to view statement of line](#)



### 1 Select Model

w" x d" x h"  
Left Pedestal  
89 x 24 x 30  
72 x 24 x 30  
66 x 24 x 30  
Right Pedestal  
89 x 24 x 30  
72 x 24 x 30  
66 x 24 x 30

Weight

	Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
240	JCM8924CA066W 5147	"P" Option N/A	JCM8924CA066G 5147	"M" Option N/A
200	JCM7224CA066W 4783	"P" Option N/A	JCM7224CA066G 4783	"M" Option N/A
185	JCM6624CA066W 4595	"P" Option N/A	JCM6624CA066G 4595	"M" Option N/A
240	JCM8924CA067W 5147	"P" Option N/A	JCM8924CA067G 5147	"M" Option N/A
200	JCM7224CA067W 4783	"P" Option N/A	JCM7224CA067G 4783	"M" Option N/A
185	JCM6624CA067W 4595	"P" Option N/A	JCM6624CA067G 4595	"M" Option N/A

[Click to view  
Veneer Finishes](#)

[Click to view  
High Pressure Laminates](#)

### 3 Select Edge

[Click to view edges](#)



### 4 Select Hardware

[Click to view details](#)



### Product Features

- Full back panel
- Lateral file drawer reinforced for extra storage capacity
- Legal/Letter filing
- Features ball bearing suspensions, suspensions are full extension

### Notes

- Center drawers/keyboards n/a on 72" / 66" - 2 drawer lateral file credenzas
- Unit has a black back panel and is not designed for open plan use. Select OPB Option for Open Plan application.

### Options

#### Accessories

- K28: Articulating keyboard w/ mouse pad - \$390

#### Drawer

- P40B: extra Box/Box/File or File/File to Kneespace - \$1025
- PL-DBL: Add second pull to lateral file drawer - \$20 per Pull

#### Flush Cut

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left (Facing) for Ganging - \$100

#### Grommet (Standard Location)

- Specify Color - \$50 ea.
- Black: TM30-C (Center)
  - Silver: TM31-C (Center)
  - Antique Brass: TM33-C (Center)

#### Grommets (Non-Standard Location)

- Provide drawing w/ Grommet Location and Specify Color - \$95 ea.
- TM30-NS: Black Specify Location
  - TM31-NS: Silver Specify Location
  - TM33-NS: Antique Brass Specify Location

#### Modesty

- M34T: Drop Door Tech Modesty - \$130
- M51: Open Back Modesty with Wire Mgmt Rail - Deduct \$95

#### Molding

- DSM2: Beltline only/ Delete scalloped molding - Deduct \$50


#### Open Plan \_ Finished Back

- OPB: Modify Unit for Open Plan Application - \$295

# Jamestown

Single Height Overheads  
Panel Door With Cornice Top

[Click here to view statement of line](#)



## 1 Select Model

w" x d" x h"	Weight
6 Door	
93 x 15 x 44	375
87 x 15 x 44	325
4 Door	
70 x 15 x 44	250
64 x 15 x 44	220
58 x 15 x 44	190
2 Door	
35 x 15 x 44	150
29 x 15 x 44	140

	Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
Click to view Veneer Finishes			Click to view High Pressure Laminates	
Click to view edges				
Click to view details				
	JCM9344OH325W 6931	"P" Option N/A	"G" Option N/A	"M" Option N/A
	JCM8744OH325W 6422	"P" Option N/A	"G" Option N/A	"M" Option N/A
	JCM7044OH325W 5721	"P" Option N/A	"G" Option N/A	"M" Option N/A
	JCM6444OH325W 5374	"P" Option N/A	"G" Option N/A	"M" Option N/A
	JCM5844OH325W 5196	"P" Option N/A	"G" Option N/A	"M" Option N/A
	JCM3544OH325W 3630	"P" Option N/A	"G" Option N/A	"M" Option N/A
	JCM2944OH325W 3285	"P" Option N/A	"G" Option N/A	"M" Option N/A

## Product Features

- 23 -3/4" Under cabinet clearance
- Cornice top
- 5/8" grommet(s) included for task light wire management
- Interior cabinet depth 12.5"

## Notes

- Unit has black back panel and is not designed for Open Plan use. Select OPB Option for Open Plan application

## Options

### Door

- D2: Door Lock - \$100 per door set
- D6: Delete Doors - n/c
- D9SC: Soft Close Door Hinges - \$20 per door

### Flush Cut

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left (Facing) for Ganging - \$100

### Grommets (Vertical Surface)

- Standard Location - \$50 ea.
- Black Plastic Vertical Surface: TM50-C (Bottom Center)
- Non-Standard Location - \$95 ea.
- Black Plastic Vertical Surface: TM50-NS

### Task Lighting

- Overhead task light cord is located on the right facing side. If the opposite location is required please contact customer service.
- LT-LED24: 24" LED Task light - \$215
- LT-LED48: 48" LED Task light - \$270
- LT-LED60: 60" LED Task light - \$335
- LT-LED72: 72" LED Task light - \$360

### Open Plan \_ Finished Back


- OPB: "W" "G" Style - Modify Unit for Open Plan Application - \$395

## 2 Select Finish

## 3 Select Edge

## 4 Select Hardware


Edge  
N/A



# Jamestown

Single Height Overheads  
 Frame Door With Beveled Glass Cornice Top

[Click here to view statement of line](#)



## 1 Select Model

w" x d" x h"	Weight
6 Door	
93 x 15 x 44	375
87 x 15 x 44	325
4 Door	
70 x 15 x 44	250
64 x 15 x 44	220
58 x 15 x 44	190
2 Door	
35 x 15 x 44	150
29 x 15 x 44	140

Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
JCM9344OH447W 7277	"P" Option N/A	"G" Option N/A	"M" Option N/A
JCM8744OH447W 6767	"P" Option N/A	"G" Option N/A	"M" Option N/A
JCM7044OH447W 5899	"P" Option N/A	"G" Option N/A	"M" Option N/A
JCM6444OH447W 5550	"P" Option N/A	"G" Option N/A	"M" Option N/A
JCM5844OH447W 5196	"P" Option N/A	"G" Option N/A	"M" Option N/A
JCM3544OH447W 3809	"P" Option N/A	"G" Option N/A	"M" Option N/A
JCM2944OH447W 3457	"P" Option N/A	"G" Option N/A	"M" Option N/A

## 2 Select Finish

[Click to view Veneer Finishes](#)

[Click to view High Pressure Laminates](#)


## 3 Select Edge

[Click to view edges](#)

Edge  
N/A

## 4 Select Hardware

[Click to view details](#)



## Product Features

- 23 -3/4" Under cabinet clearance
- Beveled clear glass
- Cornice top
- 5/8" grommet(s) included for task light wire management
- Interior cabinet depth 12.5"
- Solid wood door frame

## Notes

- Unit has black back panel and is not designed for Open Plan use. Select OPB Option for Open Plan application

## Options

### Door

- D2: Door Lock - \$100 per door set
- D6: Delete Doors - n/c
- D9SC: Soft Close Door Hinges - \$20 per door
- D35: Optional Wood Panel Insert - \$35 per individual panel insert

### Flush Cut

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left (Facing) for Ganging - \$100

### Grommets (Vertical Surface)

- Standard Location - \$50 ea.
- Black Plastic Vertical Surface: TM50-C (Bottom Center)
- Non-Standard Location - \$95 ea.
- Black Plastic Vertical Surface: TM50-NS

### Interior Cabinet Lighting

- LEDPK starter kit includes Infeed, 1 Puck Interior Light and the ability to daisy chain up to 6 total Puck Lights
- LEDPK: LED Puck Starter Kit - \$310
- PK: 1 LED Interior Light - \$130

### Task Lighting

- Overhead task light cord is located on the right facing side. If the opposite location is required please contact customer service.
- LT-LED24: 24" LED Task light - \$215
- LT-LED48: 48" LED Task light - \$270
- LT-LED60: 60" LED Task light - \$335
- LT-LED72: 72" LED Task light - \$360


### Open Plan \_ Finished Back

- OPB: "W" "G" Style - Modify Unit for Open Plan Application - \$395

# Jamestown

Double Height Overheads  
Overhead Panel Doors/Cornice Top

[Click here to view statement of line](#)



## 1 Select Model

w" x d" x h"	Weight
6 Door (3 Section)	
93 x 15 x 51	335
87 x 15 x 51	325
4 Door (2 Section)	
83 x 15 x 51	300
76 x 15 x 51	275
70 x 15 x 51	250
64 x 15 x 51	250
58 x 15 x 51	215
47 x 15 x 51	185
2 Door (1 Section)	
35 x 15 x 51	160
29 x 15 x 51	140

	Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
Click to view Veneer Finishes			Click to view High Pressure Laminates	
Click to view edges				
Click to view details				
	JCM9351OH325W 7970	"P" Option N/A	"G" Option N/A	"M" Option N/A
	JCM8751OH325W 7386	"P" Option N/A	"G" Option N/A	"M" Option N/A
	JCM8351OH325W 7125	"P" Option N/A	"G" Option N/A	"M" Option N/A
	JCM7651OH325W 6920	"P" Option N/A	"G" Option N/A	"M" Option N/A
	JCM7051OH325W 6579	"P" Option N/A	"G" Option N/A	"M" Option N/A
	JCM6451OH325W 6181	"P" Option N/A	"G" Option N/A	"M" Option N/A
	JCM5851OH325W 5975	"P" Option N/A	"G" Option N/A	"M" Option N/A
	JCM4751OH325W 4586	"P" Option N/A	"G" Option N/A	"M" Option N/A
	JCM3551OH325W 4176	"P" Option N/A	"G" Option N/A	"M" Option N/A
	JCM2951OH325W 3777	"P" Option N/A	"G" Option N/A	"M" Option N/A

## Product Features

- 21 -1/2" Under cabinet clearance
- Cornice top
- Finished wood shelves
- Interior shelf depth 12.5"
- 5/8" grommet(s) included for task light wire management

## Notes

- Unit has black back panel and is not designed for Open Plan use. Select OPB Option for Open Plan application

## Options

### Door

- D2: Door Lock - \$100 per door set
- D6: Delete Doors - n/c
- D9SC: Soft Close Door Hinges - \$20 per door

### Flush Cut

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left (Facing) for Ganging - \$100

### Grommets (Vertical Surface)

- Standard Location - \$50 ea.
- Black Plastic Vertical Surface: TM50-C (Bottom Center)
- Non-Standard Location - \$95 ea.
- Black Plastic Vertical Surface: TM50-NS

### Task Lighting

- Overhead task light cord is located on the right facing side. If the opposite location is required please contact customer service.
- LT-LED24: 24" LED Task light - \$215
- LT-LED48: 48" LED Task light - \$270
- LT-LED60: 60" LED Task light - \$335
- LT-LED72: 72" LED Task light - \$360

### Open Plan \_ Finished Back

- OPB: "W" "G" Style - Modify Unit for Open Plan Application - \$395

### Shelves

- S714F: Replace standard shelves with heavy duty 1" thick wood shelf - \$80 per shelf

## 2 Select Finish

## 3 Select Edge

Click to view edges

Edge  
N/A

## 4 Select Hardware

Click to view details



DK-114 Brushed Pewter




DK-4 Antique Brass



DK-5 Antique Brass  
DK-50 Brushed Pewter

# Jamestown

Double Height Overheads  
Overhead Wood Panel/Cornice Top



[Click here to view statement of line](#)

## 1 Select Model

w" x d" x h"	Weight
6 Door (3 Section)	
70 x 15 x 51	290
64 x 15 x 51	270

Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
------------------------------------------------	----------------------------------------------	----------------------------------------------	------------------------------------------------------------------

JCM7051OH420W 7767	"P" Option N/A	"G" Option N/A	"M" Option N/A
JCM6451OH420W 7414	"P" Option N/A	"G" Option N/A	"M" Option N/A

## 2 Select Finish

[Click to view Veneer Finishes](#)

[Click to view High Pressure Laminates](#)


## 3 Select Edge

[Click to view edges](#)

Edge  
N/A

## 4 Select Hardware

[Click to view details](#)



## Product Features

- 21 -1/2" Under cabinet clearance
- Cornice top
- Wood shelves
- Interior shelf depth 12"
- 5/8" grommet(s) included for task light wire management

## Notes

- Unit has black back panel and is not designed for Open Plan use. Select OPB Option for Open Plan application
- 116" - 99" units - shipped in 4 sections
- 87" - 70" units assembled
- Towers are 14 1/2" or 17 1/2" depending on unit size

## Options

### Door

- D2: Door Lock - \$100 per door set
- D6: Delete Doors - n/c
- D35: Optional wood panel insert - \$30 per individual panel insert

### Flush Cut

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left (Facing) for Ganging - \$100

### Grommets (Vertical Surface)

- Standard Location - \$50 ea.
- Black Plastic Vertical Surface: TM50-C (Bottom Center)
- Non-Standard Location - \$95 ea.
- Black Plastic Vertical Surface: TM50-NS

### Interior Cabinet Lighting

- LEDPK starter kit includes Infeed, 1 Puck Interior Light and the ability to daisy chain up to 6 total Puck Lights
- LEDPK: LED Puck Starter Kit - \$310
- PK: 1 LED Interior Light - \$130

### Task Lighting

- LT-LED24: 24" LED Task light - \$215
- LT-LED48: 48" LED Task light - \$270
- LT-LED60: 60" LED Task light - \$335

### Open Plan \_ Finished Back

- OPB: "W" "G" Style - Modify Unit for Open Plan Application - \$395


### Shelves

- GS14F: Replace Standard Shelves with Glass Shelves - \$90 per shelf

# Jamestown





Double Height Overheads  
Wood Frame Door With Beveled Glass/Cornice Top

[Click here to view statement of line](#)



## 1 Select Model

w" x d" x h"	Weight
6 Door (3 Section)	
93 x 15 x 51	335
87 x 15 x 51	325
4 Door (2 Section)	
70 x 15 x 51	250
64 x 15 x 51	250
58 x 15 x 51	215
2 Door (1 Section)	
35 x 15 x 51	160
29 x 15 x 51	140

	Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
Click to view Veneer Finishes			Click to view High Pressure Laminates	
3 Select Edge Click to view edges	Edge N/A			
4 Select Hardware Click to view details	 DK-114 Brushed Pewter  DK-4 Antique Brass  DK-5 Antique Brass  DK-50 Brushed Pewter			

## Product Features

- 21 -1/2" Under cabinet clearance
- Beveled clear glass
- Cornice top
- Finished wood shelves
- 5/8" grommet(s) included for task light wire management
- Interior shelf depth 12.5"
- Solid wood door frame

## Notes

- Unit has black back panel and is not designed for Open Plan use. Select OPB Option for Open Plan application

## Options

- Door**
- D2: Door Lock - \$100 per door set
  - D6: Delete Doors - n/c
  - D9SC: Soft Close Door Hinges - \$20 per door
  - D35: Optional Wood Panel Insert - \$35 per individual panel insert

### Flush Cut

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left (Facing) for Ganging - \$100

### Grommets (Vertical Surface)

- Standard Location - \$50 ea.
- Black Plastic Vertical Surface: TM50-C (Bottom Center)
- Non-Standard Location - \$95 ea.
- Black Plastic Vertical Surface: TM50-NS

### Interior Cabinet Lighting

- LEDPK starter kit includes Infeed, 1 Puck Interior Light and the ability to daisy chain up to 6 total Puck Lights
- LEDPK: LED Puck Starter Kit - \$310
- PK: 1 LED Interior Light - \$130

### Task Lighting

- Overhead task light cord is located on the right facing side. If the opposite location is required please contact customer service.
- LT-LED24: 24" LED Task light - \$215
- LT-LED48: 48" LED Task light - \$270
- LT-LED60: 60" LED Task light - \$335
- LT-LED72: 72" LED Task light - \$360

### Open Plan \_ Finished Back

- OPB: "W" "G" Style - Modify Unit for Open Plan Application - \$395


### Shelves

- GS14F: Replace Standard Shelves with Glass Shelves - \$90 per shelf
- S714F: Replace standard shelves with heavy duty 1" thick wood shelf - \$80 per shelf



# Jamestown

Double Height Overheads  
Beveled Glass Doors/Cornice Top



[Click here to view statement of line](#)

## 1 Select Model

Weight	w" x d" x h"
	3 Section
290	70 x 15 x 51
270	64 x 15 x 51

	Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
	JCM7051OH430W 7920 JCM6451OH430W 7565	"P" Option N/A "P" Option N/A	"G" Option N/A "G" Option N/A	"M" Option N/A "M" Option N/A
<b>2 Select Finish</b>	Click to view Veneer Finishes		Click to view High Pressure Laminates	
<b>3 Select Edge</b> Click to view edges	Edge N/A			
<b>4 Select Hardware</b> Click to view details				

## Product Features

- 21 -1/2" Under cabinet clearance
- Beveled clear glass
- Cornice top
- Wood shelves (1 shelf in each bridge section)
- 5/8" grommet(s) included for task light wire management
- Interior shelf depth 12"
- Solid wood door frame
- Interior cabinet depth 12.5"

## Notes

- Unit has black back panel and is not designed for Open Plan use. Select OPB Option for Open Plan application
- 116" - 99" units - shipped in 4 sections
- 87" - 70" units assembled
- Towers are 14 1/2" or 17 1/2" depending on unit size

## Options

### Door

- D2: Door Lock - \$100 per door set
- D6: Delete Doors - n/c
- D9SC: Soft Close Door Hinges - \$20 per door
- D35: Optional Wood Panel Insert - \$35 per individual panel insert
- DGR-01: Wire grill door insert - \$160 per door panel

### Flush Cut

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left (Facing) for Ganging - \$100

### Grommets (Vertical Surface)

- Standard Location - \$50 ea.
- Black Plastic Vertical Surface: TM50-C (Bottom Center)
- Non-Standard Location - \$95 ea.
- Black Plastic Vertical Surface: TM50-NS

### Interior Cabinet Lighting

- LEDPK starter kit includes Infeed, 1 Puck Interior Light and the ability to daisy chain up to 6 total Puck Lights
- LEDPK: LED Puck Starter Kit - \$310
- PK: 1 LED Interior Light - \$130

### Task Lighting

- LT-LED24: 24" LED Task light - \$215
- LT-LED48: 48" LED Task light - \$270
- LT-LED60: 60" LED Task light - \$335


### Open Plan

- OPB: "W" "G" Style - Modify Unit for Open Plan Application - \$395

### Shelves

- GS14F: Replace Standard Shelves with Glass Shelves - \$90 per shelf

Overhead tackboard  
Full width tackboards



Product Width	Panel Dimension	SKU	COM	1	2	3	4	5	6	7	8	9	10	11/L1	12	13/L2
93"	91 x .75 x 21	FTOC9121	379	480	531	582	633	684	735	786	837	888	939	990	1041	1143
87"	85 x .75 x 21	FTOC8521	358	449	497	545	593	641	689	737	785	833	881	929	977	1073
83"	81 x .75 x 21	FTOC8121	336	428	474	520	566	612	658	704	750	796	842	888	934	1026
76"	74 x .75 x 21	FTOC7421	309	392	435	478	521	564	607	650	693	736	779	822	865	951
70"	68 x .75 x 21	FTOC6821	282	361	401	441	481	521	561	601	641	681	721	761	801	881
64"	62 x .75 x 21	FTOC6221	256	330	366	402	438	474	510	546	582	618	654	690	726	798
58"	56 x .75 x 21	FTOC5621	234	299	331	363	395	427	459	491	523	555	587	619	651	715
47"	45 x .75 x 21	FTOC4521	187	242	269	296	323	350	377	404	431	458	485	512	539	593
35"	33 x .75 x 21	FTOC3321	141	180	200	220	240	260	280	300	320	340	360	380	400	440
29"	27 x .75 x 21	FTOC2721	112	149	166	183	200	217	234	251	268	285	302	319	336	370


Standard Features

- Constructed of .5" thick fiberboard
- Fabric is precisely aligned and fitted to the tackboard
- Adhered to the rigid hardboard with staples
- Hung with Z-Strip mounting system

Notes

- Fabric Tack Panels are raised 3" from bottom edge when TM50 grommet is ordered

Overhead tackboard  
Half width tackboards



Product Width	Panel Dimension	SKU	COM	1	2	3	4	5	6	7	8	9	10	11/L1	12	13/L2
93 Half Width	45.5 x .75 x 21	FTOC4521	189	240	266	292	318	344	370	396	422	448	474	500	526	578
87 Half Width	42.5 x .75 x 21	FTOC4221	179	225	249	273	297	321	345	369	393	417	441	465	489	537
83 Half Width	40.5 x .75 x 21	FTOC4021	168	214	237	260	283	306	329	352	375	398	421	444	467	513
76 Half Width	37 x .75 x 21	FTOC3721	155	196	217	238	259	280	301	322	343	364	385	406	427	469
70 Half Width	34 x .75 x 21	FTOC3421	141	180	200	220	240	260	280	300	320	340	360	380	400	440
64 Half Width	31 x .75 x 21	FTOC3121	128	165	183	201	219	237	255	273	291	309	327	345	363	399


Standard Features

- Constructed of .5" thick fiberboard
- Fabric is precisely aligned and fitted to the tackboard
- Adhered to the rigid hardboard with staples
- Hung with Z-Strip mounting system

Notes

- Half width tackboards can be specified and combined with a Veneer Panel, Marker Board, or Glass Board. See "Half Width" items under product width.
- Specify right or left facing tackboard
- Fabric Tack Panels are raised 3" from bottom edge when TM50 grommet is ordered

Overhead dry marker board  
Full width dry marker board




Product Width	Panel Dimension	SKU	List
93	91 x .5 x 21	DMOC9121	1136
87	85 x .5 x 21	DMOC8521	1061
83	81 x .5 x 21	DMOC8121	1011
76	74 x .5 x 21	DMOC7421	924
70	68 x .5 x 21	DMOC6821	849
64	62 x .5 x 21	DMOC6221	774
58	56 x .5 x 21	DMOC5621	699
47	45 x .5 x 21	DMOC4521	587
35	33 x .5 x 21	DMOC3321	437
29	27 x .5 x 21	DMOC2721	337

**Standard Features**

- Dry marker panel has edge trim molding
- Standard magnetic surface
- Hung with Z-Strip mounting system

Overhead dry marker board  
Half width dry marker board



Product Width	Panel Dimension	SKU	List
93 Half Width	45.5 x .5 x 21	DMOC4521	555
87 Half Width	42.5 x .5 x 21	DMOC4221	518
83 Half Width	40.5 x .5 x 21	DMOC4021	493
76 Half Width	37 x .5 x 21	DMOC3721	449
70 Half Width	34 x .5 x 21	DMOC3421	437
64 Half Width	31 x .5 x 21	DMOC3121	374


**Standard Features**

- Dry marker panel has edge trim molding
- Standard magnetic surface
- Hung with Z-Strip mounting system

**Notes**

- Half width dry marker boards can be specified and combined with a Tackboard, Veneer Panel, or Glass Board. See "Half Width" items under product width.
- Specify right or left facing dry marker board

Overhead glassboard  
Full width glassboard



Product Width	Panel Dimension	SKU	List
93	91 x .5 x 21	GBOC9121	2382
87	85 x .5 x 21	GBOC8521	2236
83	81 x .5 x 21	GBOC8121	2138
76	74 x .5 x 21	GBOC7421	1969
70	68 x .5 x 21	GBOC6821	1822
64	62 x .5 x 21	GBOC6221	1676
58	56 x .5 x 21	GBOC5621	1531
47	45 x .5 x 21	GBOC4521	1264
35	33 x .5 x 21	GBOC3321	972
29	27 x .5 x 21	GBOC2721	826


**Standard Features**

- 4 mm tempered glass

**Notes**

- Earth magnets are required to hold items securely in place
- Hung with Z-Strip mounting system
- Use glass cleaner or alcohol to clean
- Standard dry erase markers may be used

Overhead glassboard  
Half width glassboard



Product Width	Panel Dimension	SKU	List
93 Half Width	45.5 x .5 x 21	GBOC4521	1251
87 Half Width	42.5 x .5 x 21	GBOC4221	1178
83 Half Width	40.5 x .5 x 21	GBOC4021	1129
76 Half Width	37 x .5 x 21	GBOC3721	985
70 Half Width	34 x .5 x 21	GBOC3421	972
64 Half Width	31 x .5 x 21	GBOC3121	899

**Standard Features**

- 4 mm tempered glass


**Notes**

- Half width glassboards can be specified and combined with a Tackboard, Veneer panel, Marker Board or . See "Half Width" items under product width.
- Specify right or left facing glassboard
- Use glass cleaner or alcohol to clean
- Standard dry erase markers may be used
- Earth magnets are required to hold items securely in place
- Hung with Z-Strip mounting system

**Jamestown**

Single Height Wall Hung Overheads  
Panel Door

[Click here to view statement of line](#)



**1 Select Model**

w" x d" x h"	Weight
93 x 15 x 20	190
87 x 15 x 20	175
70 x 15 x 20	145
64 x 15 x 20	130
58 x 15 x 20	120
35 x 15 x 20	75
29 x 15 x 20	65

	Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
Click to view Veneer Finishes			Click to view High Pressure Laminates	
Click to view edges				
Click to view details				

**2 Select Finish**

**3 Select Edge**

**4 Select Hardware**

**Product Features**

- Cornice top
- Interior cabinet depth 12"
- Wall mount rail included
- Wall mount rail included

**Notes**

- The DARRAN wall mounted cabinet(or shelf) must be hung on a weight-bearing wall. The suitability of the wall supporting the wall mounted cabinet, and the installation and maintenance of the wall-mounted cabinet, is the sole responsibility of the customer. Failure to correctly install and/or exceed the loaded weight capacity of this product may cause it to fall, resulting in damage to the product, adjacent property and/or bodily injury.

**Options**

**Door**


- D2: Door Lock - \$100 per door set
- D6: Delete Doors - n/c
- D9SC: Soft Close Door Hinges - \$20 per door

**Flush Cut**

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left (Facing) for Ganging - \$100

**Task Lighting**


- Overhead task light cord is located on the right facing side. If the opposite location is required please contact customer service.
- LT-LED24: 24" LED Task light - \$215
  - LT-LED48: 48" LED Task light - \$270
  - LT-LED60: 60" LED Task light - \$335
  - LT-LED72: 72" LED Task light - \$360



# Jamestown





Single Height Wall Hung Overheads  
Wood Frame Beveled Glass

[Click here to view statement of line](#)



## 1 Select Model

w" x d" x h"	Weight
6 Door	
93 x 15 x 20	190
87 x 15 x 20	175
4 Door	
70 x 15 x 20	145
64 x 15 x 20	130
58 x 15 x 20	120
2 Door	
35 x 15 x 20	75
29 x 15 x 20	65

	Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
Click to view Veneer Finishes	Click to view High Pressure Laminates			
Click to view details	   			

## Product Features

- Beveled clear glass
- Cornice top
- Interior cabinet depth 12"
- Mounting wall rail included
- Solid wood door frame

## Notes

- The DARRAN wall mounted cabinet(or shelf) must be hung on a weight-bearing wall. The suitability of the wall supporting the wall mounted cabinet, and the installation and maintenance of the wall-mounted cabinet, is the sole responsibility of the customer. Failure to correctly install and/or exceed the loaded weight capacity of this product may cause it to fall, resulting in damage to the product, adjacent property and/or bodily injury.

## Options

- Door**
- D2: Door Lock - \$100 per door set
  - D6: Delete Doors - n/c
  - D9SC: Soft Close Door Hinges - \$20 per door
  - D35: Replace glass panel insert with veneer panel insert - \$35 per door

### Flush Cut

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L Flush Unit Left (Facing) for Ganging - \$100


### Interior Cabinet Lighting

- LEDPK starter kit includes Infeed, 1 Puck Interior Light and the ability to daisy chain up to 6 total Puck Lights
- LEDPK: LED Puck Starter Kit - \$310
  - PK: 1 LED Interior Light - \$130

### Task Lighting

- Overhead task light cord is located on the right facing side. If the opposite location is required please contact customer service.
- LT-LED24: 24" LED Task light - \$215
  - LT-LED48: 48" LED Task light - \$270
  - LT-LED60: 60" LED Task light - \$335
  - LT-LED72: 72" LED Task light - \$360

Wall hung tackboards  
Full width tackboards




Product Width	Panel Dimension	SKU	COM	1	2	3	4	5	6	7	8	9	10	11/L1	12	13/L2
93	93 x .75 x 24	FTWH9324	465	576	627	678	729	780	831	882	933	984	1035	1086	1137	1239
87	87 x .75 x 24	FTWH8724	448	539	587	635	683	731	779	827	875	923	971	1019	1067	1163
83	83 x .75 x 24	FTWH8324	422	514	560	606	652	698	744	790	836	882	928	974	1020	1112
76	76 x .75 x 24	FTWH7624	388	471	514	557	600	643	686	729	772	815	858	901	944	1030
70	70 x .75 x 24	FTWH7024	355	434	474	514	554	594	634	674	714	754	794	834	874	954
64	64 x .75 x 24	FTWH6424	322	396	432	468	504	540	576	612	648	684	720	756	792	864
58	58 x .75 x 24	FTWH5824	294	359	391	423	455	487	519	551	583	615	647	679	711	775
47	47 x .75 x 24	FTWH4724	236	291	318	345	372	399	426	453	480	507	534	561	588	642
35	35 x .75 x 24	FTWH3524	176	217	237	257	277	297	317	337	357	377	397	417	437	477
29	29 x .75 x 24	FTWH2924	142	179	196	213	230	247	264	281	298	315	332	349	366	400

Standard Features

- Constructed of .5" thick fiberboard
- Fabric is precisely aligned and fitted to the tackboard
- Adhered to the rigid hardboard with staples

- Hung with Z-Strip mounting system

Wall hung tackboards  
Half width tackboards



Product Width	Panel Dimension	SKU	COM	1	2	3	4	5	6	7	8	9	10	11/L1	12	13/L2
93 Half Width	46.5 x .75 x 24	FTWH4624	233	288	313	338	363	388	413	438	463	488	513	538	563	613
87 Half Width	43.5 x .75 x 24	FTWH4324	225	270	294	318	342	366	390	414	438	462	486	510	534	582
83 Half Width	41.5 x .75 x 24	FTWH4124	211	257	280	303	326	349	372	395	418	441	464	487	510	556
76 Half Width	38 x .75 x 24	FTWH3824	194	235	256	277	298	319	340	361	382	403	424	445	466	508
70 Half Width	35 x .75 x 24	FTWH3524	178	217	237	257	277	297	317	337	357	377	397	417	437	477
64 Half Width	32 x .75 x 24	FTWH3224	161	198	216	234	252	270	288	306	324	342	360	378	396	432


Standard Features

- Constructed of .5" thick fiberboard
- Fabric is precisely aligned and fitted to the tackboard
- Adhered to the rigid hardboard with staples
- Hung with Z-Strip mounting system

Notes

- Half width tackboards can be specified and combined with a Veneer Panel, Marker Board, or Glass Board. See "Half Width" items under product width.
- Specify right or left facing tackboard

Wall hung dry marker board  
Full width dry marker board




PRODUCT WIDTH	PANEL DIMENSION	SKU	LIST
Product Width	Panel Dimension	SKU	List
93	93 x .75 x 24	DMWH9324	1161
87	87 x .75 x 24	DMWH8724	1086
83	83 x .75 x 24	DMWH8324	1023
76	76 x .75 x 24	DMWH7624	948
70	70 x .75 x 24	DMWH7024	874
64	64 x .75 x 24	DMWH6424	799
58	58 x .75 x 24	DMWH5824	724
47	47 x .75 x 24	DMWH4724	587
35	35 x .75 x 24	DMWH3524	437
29	29 x .75 x 24	DMWH2924	362

**Standard Features**

- Dry marker panel has edge trim molding

- Standard magnetic surface
- Hung with Z-Strip mounting system

Wall hung dry marker board  
Half width dry marker board



Product Width	Panel Dimension	SKU	List
93 Half Width	46.5 x .75 x 24	DMWH4624	580
87 Half Width	43.5 x .75 x 24	DMWH4324	543
83 Half Width	41.5 x .75 x 24	DMWH4124	518
76 Half Width	38 x .75 x 24	DMWH3824	474
70 Half Width	35 x .75 x 24	DMWH3524	437
64 Half Width	32 x .75 x 24	DMWH3224	399

**Standard Features**


- Dry marker panel has edge trim molding
- Standard magnetic surface
- Hung with Z-Strip mounting system

**Notes**

- Half width dry marker boards can be specified and combined with a Tackboard, Veneer Panel, or Glass Board. See "Half Width" items under product width.
- Specify right or left facing dry marker board



Wall hung veneer panel  
Full width veneer panel



Product Width	Panel Dimension	SKU	List
93	93 x .75 x 24	VPWH9324	967
87	87 x .75 x 24	VPWH8724	905
83	83 x .75 x 24	VPWH8324	853
76	76 x .75 x 24	VPWH7624	790
70	70 x .75 x 24	VPWH7024	728
64	64 x .75 x 24	VPWH6424	666
58	58 x .75 x 24	VPWH5824	603
47	47 x .75 x 24	VPWH4724	489
35	35 x .75 x 24	VPWH3524	364
29	29 x .75 x 24	VPWH2924	302


**Standard Features**

- Hung with Z-Strip mounting system

**Notes**

- Veneer edges.
- Vertical wire channels on back for task light cords
- Steel mounting wall channel is recessed for flush mounting
- Can be used with or without overhead cabinet
- Required for other accessory panels

Wall hung veneer panel  
Half width veneer panel



Product Width	Panel Dimension	SKU	List
93 Half Width	46.5 x .75 x 24	VPWH4624	484
87 Half Width	43.5 x .75 x 24	VPWH4324	452
83 Half Width	41.5 x .75 x 24	VPWH4124	432
76 Half Width	38 x .75 x 24	VPWH3824	395
70 Half Width	35 x .75 x 24	VPWH3524	364
64 Half Width	32 x .75 x 24	VPWH3224	333


**Standard Features**

- Veneer edges
- Vertical wire channels on back for task light cords
- Steel mounting wall channel is recessed for flush mounting
- Hung with Z-Strip mounting system

**Notes**

- Half width veneer panels can be specified and combined with a Tackboard, Marker Board, or Glass Board. See "Half Width" items under product width.
- Specify right or left facing veneer panel
- Can be used with or without overhead cabinet
- Required for other accessory panels

Wall hung glassboard  
Full width glassboards



Product Width	Panel Dimension	SKU	List
93	93 x .75 x 24	GBWH9324	2753
87	87 x .75 x 24	GBWH8724	2586
83	83 x .75 x 24	GBWH8324	2475
76	76 x .75 x 24	GBWH7624	2281
70	70 x .75 x 24	GBWH7024	2114
64	64 x .75 x 24	GBWH6424	1948
58	58 x .75 x 24	GBWH5824	1780
47	47 x .75 x 24	GBWH4724	1476
35	35 x .75 x 24	GBWH3524	1142
29	29 x .75 x 24	GBWH3924	976


Standard Features

- 4 mm tempered glass

Notes-

- Standard dry erase markers may be used
- Earth magnets are required to hold items securely in place
- Hung with Z-Strip mounting system
- Use glass cleaner or alcohol to clean

Wall hung glassboard  
Half width glassboards



Product Width	Panel Dimension	SKU	List
93 Half Width	46.5 x .75 x 24	GBWH4624	1461
87 Half Width	43.5 x .75 x 24	GBWH4324	1378
83 Half Width	41.5 x .75 x 24	GBWH4124	1323
76 Half Width	38 x .75 x 24	GBWH3824	1232
70 Half Width	35 x .75 x 24	GBWH3524	1142
64 Half Width	32 x .75 x 24	GBWH3224	1059

Standard Features

- 4 mm tempered glass


Notes

- Half width glassboards can be specified and combined with a Tackboard, Veneer panel, Marker Board . See "Half Width" items under product width.
- Specify right or left facing glassboard-Use glass cleaner or alcohol to clean
- Standard dry erase markers may be used
- Earth magnets are required to hold items securely in place
- Hung with Z-Strip mounting system

# Jamestown

Single Height Overhead  
35"/29" Bookcase / Hutch Overhead With Cornice Top

[Click here to view statement of line](#)



Frame Door W/ Beveled Glass   Panel Door   Open Bookcase

## 1 Select Model

w" x d" x h"	Weight		
Frame Door w/ Beveled Glass			
35 x 15 x 44	120	JCM3544OH552W	3471
29 x 15 x 44	115	JCM2944OH552W	3292
35 x 15 x 51	150	JCM3551OH552W	3621
29 x 15 x 51	145	JCM2951OH552W	3441
Panel Door			
35 x 15 x 44	130	JCM3544OH570W	3292
29 x 15 x 44	125	JCM2944OH570W	3117
35 x 15 x 51	160	JCM3551OH570W	3437
29 x 15 x 51	155	JCM2951OH570W	3266
Open Bookcase			
35 x 15 x 44	100	JCM3544OH551W	2423
29 x 15 x 44	90	JCM2944OH551W	2245
35 x 15 x 51	130	JCM3551OH551W	2536
29 x 15 x 51	120	JCM2951OH551W	2402

Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
	"P" Option N/A	"G" Option N/A	"M" Option N/A
	"P" Option N/A	"G" Option N/A	"M" Option N/A
	"P" Option N/A	"G" Option N/A	"M" Option N/A
	"P" Option N/A	"G" Option N/A	"M" Option N/A
	"P" Option N/A	"G" Option N/A	"M" Option N/A
	"P" Option N/A	"G" Option N/A	"M" Option N/A
	"P" Option N/A	"G" Option N/A	"M" Option N/A
	"P" Option N/A	"G" Option N/A	"M" Option N/A
	"P" Option N/A	"G" Option N/A	"M" Option N/A
	"P" Option N/A	"G" Option N/A	"M" Option N/A
	"P" Option N/A	"G" Option N/A	"M" Option N/A
	"P" Option N/A	"G" Option N/A	"M" Option N/A

## 2 Select Finish

[Click to view Veneer Finishes](#)

[Click to view High Pressure Laminates](#)


## 3 Select Edge

[Click to view edges](#)

Edge  
N/A

## 4 Select Hardware

[Click to view details](#)



## Product Features

- 2 Adjustable finished shelves
- Cornice top
- Interior shelf depth 12"

## Notes

- Unit has black back panel and is not designed for Open Plan use. Select OPB Option for Open Plan application

## Options

### Door

- D2: Door Lock - \$100 per door set
- D9SC: Soft Close Door Hinges - \$20 per door
- D35: Optional Wood Panel Insert - \$35 per individual panel insert (OH552 product only)

### Flush Cut

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left (Facing) for Ganging - \$100

### Interior Cabinet Lighting

- LEDPK starter kit includes Infeed, 1 Puck Interior Light and the ability to daisy chain up to 6 total Puck Lights
- LEDPK: LED Puck Starter Kit - \$310
- PK: 1 LED Interior Light - \$130

### Open Plan \_ Finished Back

- OPB: "W" "G" Style - Modify Unit for Open Plan Application - \$395


### Shelves

- GS14F: Replace Standard Shelves with Glass Shelf - \$90 per shelf
- S714F: Replace standard shelves with heavy duty 1" thick wood shelf - \$80 per shelf

# Jamestown

Single Height Overhead  
70" Bookcase/Hutch Overhead With Cornice Top

[Click here to view statement of line](#)



## 1 Select Model

w" x d" x h"	Weight
Frame Door w/ Beveled Glass	
70 x 15 x 44	250
70 x 15 x 51	300
Panel Door	
70 x 15 x 44	260
70 x 15 x 51	310
Open Bookcase	
70 x 15 x 44	200
70 x 15 x 51	250

	Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
Click to view Veneer Finishes			Click to view High Pressure Laminates	
Click to view edges				
Click to view details				

## Product Features

- 4 Adjustable finished shelves
- Shipped assembled
- Cornice top
- Interior shelf depth 12"

## Notes

- Unit has black back panel and is not designed for Open Plan use. Select OPB Option for Open Plan application

## Options

### Door

- D2: Door Lock - \$100 per door set
- D9SC: Soft Close Door Hinges - \$20 per door
- D35: Optional Wood Panel Insert - \$35 per individual panel insert (OH552 product only)

### Flush Cut

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left (Facing) for Ganging - \$100

### Interior Cabinet Lighting

- LEDPK starter kit includes Infeed, 1 Puck Interior Light and the ability to daisy chain up to 6 total Puck Lights
- LEDPK: LED Puck Starter Kit - \$310
- PK: 1 LED Interior Light - \$130

### Open Plan \_ Finished Back

- OPB: "W" "G" Style - Modify Unit for Open Plan Application - \$395

### Shelves

- GS14F: Replace Standard Shelves with Glass Shelf - \$90 per shelf
- S714F: Replace standard shelves with heavy duty 1" thick wood shelf - \$80 per shelf

## 2 Select Finish

## 3 Select Edge

Click to view edges

Edge  
N/A

## 4 Select Hardware

Click to view details




Jamestown

Tower Cabinets

Wardrobe / Storage Tower

[Click here to view statement of line](#)



1 Select Model

w" x d" x h"	Weight
29 x 24 x 77	310
29 x 24 x 84	350
35 x 24 x 77	325
35 x 24 x 84	365

Standard Veneer Top Standard Veneer Chassis		Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
------------------------------------------------	--	----------------------------------------------	----------------------------------------------	------------------------------------------------------------------

JCM2977TW275W	6838	"P" Option N/A	"G" Option N/A	"M" Option N/A
JCM2984TW275W	7669	"P" Option N/A	"G" Option N/A	"M" Option N/A
JCM3577TW275W	7269	"P" Option N/A	"G" Option N/A	"M" Option N/A
JCM3584TW275W	7929	"P" Option N/A	"G" Option N/A	"M" Option N/A

Product Features

- 2 fixed shelves
- 3 Adjustable shelves
- Cornice top
- Standard non-locking
- Wardrobe w/ coat rod & hook
- Panel doors w/ knobs

Notes

- Unit has black back panel and is not designed for Open Plan use. Select OPB Option for Open Plan application

Options

Door

- D2: Lock door - \$100 per door
- D9SC: Soft Close Door Hinges - \$20 per door

Flush Cut

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left(Facing) for Ganging - \$100

Open Plan \_ Finished Back

- OPB: Finished Back - \$395

Shelves

- MOD-31: Delete center partition & half shelves and add 2 full shelves - \$295

2 Select Finish

[Click to view Veneer Finishes](#)

[Click to view High Pressure Laminates](#)


3 Select Edge

[Click to view edges](#)

Edge  
N/A

4 Select Hardware


[Click to view details](#)




# Jamestown

Single Door Tower Cabinets  
Wardrobe / Storage Tower

[Click here to view statement of line](#)



Hinged Left



Hinged Right

## 1 Select Model

w" x d" x h"  
Hinged Right  
17 x 24 x 77  
  
Hinged Left

Weight	Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
160	JCM1777TW284W 4910	"P" Option N/A	"G" Option N/A	"M" Option N/A
160	JCM1777TW283W 4910	"P" Option N/A	"G" Option N/A	"M" Option N/A

## 2 Select Finish

[Click to view  
Veneer Finishes](#)

[Click to view  
High Pressure Laminates](#)

## 3 Select Edge

[Click to view edges](#)

Edge  
N/A

## 4 Select Hardware


[Click to view details](#)



DK-114 Brushed Pewter



DK-4 Antique Brass



DK-5 Antique Brass  
DK-50 Brushed Pewter

## Product Features

- 1 fixed shelf
- Standard locking
- Wardrobe w/ coat rod & hook

## Notes

- Unit has black back panel and is not designed for Open Plan use. Select OPB Option for Open Plan application

## Options

### Door

- D2: Lock door - \$100 per door
- D9SC: Soft Close Door Hinges - \$20 per door
- D6: Delete Doors - n/c

### Flush Cut

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left(Facing) for Ganging - \$100


### Open Plan \_ Finished Back

- OPB: Finished Back - \$395

Jamestown

Tower Cabinets  
Lateral File / Storage Tower

[Click here to view statement of line](#)



1 Select Model

w" x d" x h"  
Panel Wood Door  
29 x 24 x 77  
29 x 24 x 84  
35 x 24 x 77  
35 x 24 x 84  
Beveled Glass Door  
29 x 24 x 77  
29 x 24 x 84

Weight

325	JCM2977TW281W	7247	"P" Option N/A	"G" Option N/A	"M" Option N/A	
365	JCM2984TW281W	8079	"P" Option N/A	"G" Option N/A	"M" Option N/A	
340	JCM3577TW281W	7677	"P" Option N/A	"G" Option N/A	"M" Option N/A	
380	JCM3584TW281W	8339	"P" Option N/A	"G" Option N/A	"M" Option N/A	
325	JCM2977TW312W	8052	"P" Option N/A	"G" Option N/A	"M" Option N/A	
365	JCM2984TW312W	9075	"P" Option N/A	"G" Option N/A	"M" Option N/A	

[Click to view Veneer Finishes](#)

[Click to view High Pressure Laminates](#)


3 Select Edge

[Click to view edges](#)

Edge  
N/A

4 Select Hardware

[Click to view details](#)



Product Features

- 2 Lateral files
- Central Lock
- Cornice top
- Doors/Drawers feature shaped edges
- Features ball bearing suspensions, suspensions are full extension.

Notes

- Unit has black back panel and is not designed for Open Plan use. Select OPB Option for Open Plan application


Options

- Door**
- D2: Lock door - \$100 per door
  - D35: Optional Wood Panel Insert - \$35 per insert (TW312 Only)
- Drawer**
- PL-DBL: Add second pull to lateral file drawer - \$20 per Pull
- Flush Cut**
- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
  - FC-R: Flush Unit Right (Facing) for Ganging - \$100
  - FC-L Flush Unit Left(Facing) for Ganging - \$100
- Interior Cabinet Lighting**
- LEDPK starter kit includes Infeed, 1 Puck Interior Light and the ability to daisy chain up to 6 total Puck Lights
- LEDPK: LED Puck Starter Kit - \$310
  - PK: 1 LED Interior Light - \$130
- Open Plan \_ Finished Back**
- OPB: Finished Back - \$395
- Storage**
- S20: Add vertical center partitions to storage area for half wardrobe/half storage - \$205
- Shelves**
- GS14F: Replace Standard Shelves with Glass Shelf - \$90 per shelf

# Jamestown

Bookcases  
Open Bookcases

[Click here to view statement of line](#)



## 1 Select Model

w" x d" x h"	Weight
35 x 14 x 73	160
35 x 14 x 53	115
29 x 14 x 73	150
29 x 14 x 53	105

Standard Veneer Top Standard Veneer Chassis		Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
JCM3573BK250W	3552	"P" Option N/A	"G" Option N/A	"M" Option N/A
JCM3553BK250W	2164	"P" Option N/A	"G" Option N/A	"M" Option N/A
JCM2973BK250W	3374	"P" Option N/A	"G" Option N/A	"M" Option N/A
JCM2953BK250W	1987	"P" Option N/A	"G" Option N/A	"M" Option N/A

## 2 Select Finish

[Click to view  
Veneer Finishes](#)

[Click to view  
High Pressure Laminates](#)

## 3 Select Edge

[Click to view edges](#)



## 4 Select Hardware

[Click to view details](#)

Hardware  
N/A

## Product Features

- 53" w/ 2 adjustable shelves
- 73" w/ 1 fixed and 3 adjustable shelves
- Interior shelf depth 12"
- "W" styles - 53" H units finished top, 73" H units black painted top

## Notes

- Unit has black back panel and is not designed for Open Plan use. Select OPB Option for Open Plan application

## Options

### Flush Cut

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left (Facing) for Ganging - \$100

### Interior Cabinet Lighting

- LEDPK starter kit includes Infeed, 1 Puck Interior Light and the ability to daisy chain up to 6 total Puck Lights
- LEDPK: LED Puck Starter Kit - \$310
- PK: 1 LED Interior Light - \$130

### Open Plan \_ Finished Back

- OPB: "W" "G" Style - Modify Unit for Open Plan Application - \$395

### Shelves


- ADS14F: Add standard wood shelf - \$110
- GS14F: Replace Standard Shelves with Glass Shelves - \$90 per shelf
- S714F: Replace standard shelves with heavy duty 1" thick wood shelf - \$80 per shelf



**Jamestown**

Bookcases  
Panel Door Bookcases

[Click here to view statement of line](#)



**1 Select Model**

w" x d" x h"	Weight
35 x 14 x 81	205
35 x 14 x 73	175
35 x 14 x 53	135
29 x 14 x 81	195
29 x 14 x 73	165
29 x 14 x 53	125

Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
JCM3581BK251W 4238	"P" Option N/A	"P" Option N/A	"M" Option N/A
JCM3573BK251W 3898	"P" Option N/A	"G" Option N/A	"M" Option N/A
JCM3553BK251W 2511	"P" Option N/A	"G" Option N/A	"M" Option N/A
JCM2981BK251W 4061	"P" Option N/A	"G" Option N/A	"M" Option N/A
JCM2973BK251W 3721	"P" Option N/A	"G" Option N/A	"M" Option N/A
JCM2953BK251W 2334	"P" Option N/A	"G" Option N/A	"M" Option N/A

**Product Features**

- 53" w/ 2 adjustable shelves
- 73" w/ 1 fixed and 3 adjustable shelves
- 81" w/ 1 fixed and 3 adjustable shelves
- Doors with profile edge shape
- Interior shelf depth 12"
- "W" styles - 53" H units finished top, 73" H units black painted top

**Notes**

- Unit has black back panel and is not designed for Open Plan use. Select OPB Option for Open Plan application

**Options**

**Door**

- D2: Lock door - \$100 per door
- D9SC: Soft Close Door Hinges - \$20 per door
- DGL-01: Wood frame door with glass panel insert for a 53" high bookcase - \$160 per door

**Flush Cut**

- FC-B: Flush Unit Both Sides(Facing) for Ganging - \$100
- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left (Facing) for Ganging - \$100

**Interior Cabinet Lighting**

- LEDPK starter kit includes Infeed, 1 Puck Interior Light and the ability to daisy chain up to 6 total Puck Lights
- LEDPK: LED Puck Starter Kit - \$310
- PK: 1 LED Interior Light - \$130

**Open Plan \_ Finished Back**

- OPB: "W" "G" Style - Modify Unit for Open Plan Application - \$395

**Shelves**

- ADS14F: Add standard wood shelf - \$110
- GS14F: Replace Standard Shelves with Glass Shelf - \$90 per shelf
- S714F: Replace standard shelves with heavy duty 1" thick wood shelf - \$80 per shelf

**2 Select Finish**

[Click to view Veneer Finishes](#)

[Click to view High Pressure Laminates](#)

**3 Select Edge**

[Click to view edges](#)




**4 Select Hardware**

[Click to view details](#)



# Jamestown

Reception Desk  
Reception Desk With Counter



Right Pedestal Shown

[Click here to view statement of line](#)

## 1 Select Model

w" x d" x h"  
Left Pedestal Desk  
72 x 30 x 44  
Left Pedestal Desk  
66 x 30 x 44  
Right Pedestal Desk  
72 x 30 x 44  
Right Pedestal Desk  
66 x 30 x 44

Weight	Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
350	JCM7244RP925W 7829	"P" Option N/A	JCM7244RP925G 7829	"M" Option N/A
340	JCM6644RP925W 7650	"P" Option N/A	JCM6644RP925G 7650	"M" Option N/A
350	JCM7244RP924W 7829	"P" Option N/A	JCM7244RP924G 7829	"M" Option N/A
340	JCM6644RP924W 7650	"P" Option N/A	JCM6644RP924G 7650	"M" Option N/A

## Product Features

- 2 standard grommet - matches pull finish or specify black TM30, silver TM31 or antique brass TM33
- Finished back - open plan
- Full extension drawers - locking
- Suspensions are full extension and soft close

## Options

### Accessories

- K28: Articulating keyboard w/ mouse pad - \$390

### Grommets (Non-Standard Location)

Provide drawing w/ Grommet Location and Specify Color - \$95 ea.

- Black: TM30-NS
- Silver: TM31-NS
- Antique Brass: TM33-NS

### Molding

- DSM1: Delete Scalloped Only - Deduct \$95

### Task Lighting

- LT-LED24: 24" LED Task light - \$215

## 2 Select Finish

[Click to view  
Veneer Finishes](#)

[Click to view  
High Pressure Laminates](#)

## 3 Select Edge

[Click to view edges](#)



## 4 Select Hardware


[Click to view details](#)



Jamestown

Reception Bridge  
Open Back Bridge

[Click here to view statement of line](#)



1 Select Model

w" x d" x h"  
48 x 22 x 42

Weight  
120

Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
------------------------------------------------	----------------------------------------------	----------------------------------------------	------------------------------------------------------------------

JCM4842RP164W 2598	"P" Option N/A	JCM4842RP164G 2598	"M" Option N/A
--------------------	----------------	--------------------	----------------

Product Features

- 4"H back rail - open back
- Center grommet standard
- Coped ends for flush surface transition
- Metal grommet matches pull finish, unless specified otherwise

2 Select Finish

[Click to view  
Veneer Finishes](#)

[Click to view  
High Pressure Laminates](#)

Options

Accessories

- K28: Articulating keyboard w/ mouse pad - \$390

Drawer

- K17: Traditional center drawer - \$235

Grommets (Non-Standard Location)

Provide drawing w/ Grommet Location and Specify Color - \$95 ea.

- TM30-NS: Black Specify Location
- TM31-NS: Silver Specify Location
- TM33-NS: Antique Brass Specify Location

Modesty

- M37: "W" "G" Style Fixed Full Modesty w/ Molding - \$130
- M34T-O: "W" "G" Style Drop Door Tech Modesty - \$310

3 Select Edge

[Click to view edges](#)



4 Select Hardware


[Click to view details](#)

Hardware  
N/A

Hardware  
N/A

Jamestown

Reception Return  
Return



[Click here to view statement of line](#)

1 Select Model

w" x d" x h"  
Left Pedestal  
48 x 22 x 42  
Right Pedestal  
48 x 22 x 42

Weight	Standard Veneer Top Standard Veneer Chassis	Premium Veneer Top Premium Veneer Chassis	High Pressure Laminate Top Veneer Chassis	Thermally Fused Laminate Top Thermally Fused Laminate Chassis
195	JCM4842RP931W 4897	"P" Option N/A	JCM4842RP931G 4897	"M" Option N/A
195	JCM4842RP930W 4897	"P" Option N/A	JCM4842RP930G 4897	"M" Option N/A

Product Features

- 1 Standard grommet - matches pull finish or specify black TM30, silver TM31 or antique brass TM33
- Coped ends for flush surface transition
- Fixed full modesty
- Full extension drawers - locking
- Soft close suspension drawer(s)

Options

Accessories

- K28: Articulating keyboard w/ mouse pad - \$390

Flush Cut

- FC-R: Flush Unit Right (Facing) for Ganging - \$100
- FC-L: Flush Unit Left (Facing) for Ganging - \$100

Grommets (non-Standard Location)

Provide drawing w/ Grommet Location and Specify Color - \$95 ea.

- Black: TM30-NS
- Silver: TM31-NS
- Antique Brass: TM33-NS

Molding

- DSM2: Delete Scalloped Only - Deduct \$50

Modesty

- M34T: Drop Door Tech Modesty - \$130
- M51: Open Back Modesty with Wire Mgmt Rail - Deduct \$95

Drawer

- K17: Traditional center drawer - \$235

2 Select Finish

[Click to view  
Veneer Finishes](#)

[Click to view  
High Pressure Laminates](#)

3 Select Edge

[Click to view edges](#)



4 Select Hardware

[Click to view details](#)





COMPUTER SUPPORT  
single monitor arm

COMPUTER SUPPORT  
double monitor arm

COMPUTER SUPPORT  
triple monitor arm

COMPUTER SUPPORT  
quadruple monitor arm

Style Number	List Price
MA1	280

Style Number	List Price
MA2	450

Style Number	List Price
MA3	530

Style Number	List Price
MA4	705

Specifications

- Available in black or silver
- Desk clamp and mounting included
- Easy assembly and flexibility
- Elastic painting process for a durable and beautiful finish
- Gas spring tension adjustment for counter-balance height adjustment for monitors 1-8 KG
- Gas spring tested to 50,000 repetitions
- Hidden cable management

Specifications




- Available in black or silver
- Desk clamp and mounting included
- Easy assembly and flexibility
- Elastic painting process for a durable and beautiful finish
- Gas spring tension adjustment for counter-balance height adjustment for monitors 1-8 KG
- Gas spring tested to 50,000 repetitions
- Hidden cable management

Specifications

- Available in black or silver
- Desk clamp and mounting included
- Easy assembly and flexibility
- Elastic painting process for a durable and beautiful finish
- Gas spring tension adjustment for counter-balance height adjustment for monitors 1-8 KG
- Gas spring tested to 50,000 repetitions
- Hidden cable management

Specifications

- Available in black
- Desk clamp and mounting included
- Easy assembly and flexibility
- Elastic painting process for a durable and beautiful finish
- Gas spring tension adjustment for counter-balance height adjustment for monitors 1-8 KG
- Gas spring tested to 50,000 repetitions
- Hidden cable management



COMPUTER SUPPORT  
cpu retractable cradle

COMPUTER SUPPORT  
traditional pull-out drawer with  
keyboard tray

DOOR MODIFICATIONS  
soft close door hinge

DOOR MODIFICATIONS  
delete doors

Style Number	List Price
K18	205

Style Number	List Price
K21	470

Style Number	List Price
D9SC	20 Per door

Style Number	List Price
D6	N/C

Specifications

- Black Metal CPU Carriage
- Full 360° swivel capability allows easy access to rear of CPU for cables / wires
- Track allows 8- 1/2" extension
- Width Adjustment 5-1/2" to 9-1/4"
- Height adjustment 14- 5/8" to 20- 1/2"
- Black epoxy finish

Notes  
- Factory Installed

Specifications

- Available on:  
Desk 72"-66"  
Kneespace Credenza 72"-66"  
Workstation Credenza 72" single pedestal only
- Traditional Pull-out Drawer w/Keyboard Tray





Specifications

- Snap onto standard door hinge
- Requires (2) per door
- Max door height 43"
- Factory installed where specified
- Individually shipped for field installation

Notes  
- Specify Each Item To Have Slow Close Feature

Specifications

- Standard Door overheads and cabinets can have door deleted for open access. Modification of hinge rails and structural components are made face ready.



**DOOR MODIFICATIONS**  
replace glass panel insert with veneer panel insert

**DOOR MODIFICATIONS**  
delete doors

**DOOR MODIFICATIONS**  
panel door lock

**DOOR MODIFICATIONS**  
glass door lock

Style Number	List Price
D35	35 Per door

Style Number	List Price
D6A	N/C

Style Number	List Price
D2	100 Per door set

Style Number	List Price
D2-G	205 Per door set

**Specifications**

- Replace glass panel insert with veneer panel insert

- Notes
- Not Available on "M" skus
  - Glass door has beveled glass
  - Wood door w/ veneer insert - only available on "W" style

**Specifications**

- Delete doors
- Notes
- Available on: All Storage "W"/"G" Style Credenzas.

**Specifications**





- Door Locks - 1 Door w/ Lock, Other Door w/ Catch Latch
- Contact Customer Service regarding limited lock locations and keying.

- Notes
- Available on: Panel Doors, Wood Frame Doors, and Silverluma doors

**Specifications**

- Door Locks - 1 Door w/ Lock, Other Door w/ Catch Latch
- Contact Customer Service regarding limited lock locations and keying.

- Notes
- Available on: Glass Doors



**DRAWER OPTIONS**  
box drawer accessories

Style Number	List Price
Wood Drawer Dividers w/ Clips K-DIV	SET OF 3
Single Tray - Utility Tray	- 30
K-Sut	35 ea.

**DRAWER OPTIONS**  
traditional center drawer

Style Number	List Price
K17	235
Add Skirt Option K17-SK	340

**DRAWER OPTIONS - BOTTOM COVER**  
black dura-leather drawer bottom covers

Style Number	List Price
P2	80

**DRAWER OPTIONS - BOTTOM COVER**  
felt bottom center drawer insert liner

Style Number	List Price
K3	100

**Specifications**

- K-DIV Extra Wood Drawer Dividers with Clips, Top Box drawers standard with 1 divider
- K-SUT Single Tray - Utility Tray, Specify Legal or Letter drawer width

**Specifications**

- Standard on desks in Jamestown Collection. Optional center drawers available for bullet conference desk, kneespace credenzas and corner units. 3 ply hardwood drawer / dowel construction profile shaped drawer front. Specify pull choice.



**Specifications**

- Center drawer and Box/Tray drawers are covered in Black Dura-leather that adds a prestigious touch.

**Specifications**

- Inserts into center drawer and features divider for open pen and pencil storage. Removable for easy cleaning.
- Adds a luxurious touch to center drawers.
- Color: Dark Brown Coal





**GLASSBOARD ACCESSORIES**  
glassboard accessory kit

Style Number	List Price
GBKIT	290

**TASK LIGHTING**  
lt-led task light

Style Number	List Price
LT-LED24	215
LT-LED48	270
LT-LED60	335
LT-LED72	360

**LIGHTING**  
led interior cabinet puck light

Style Number	List Price
Starter Kit	
LEDPK	310
1 LED Interior Puck Light	
PK	130

**PEDESTAL MODIFICATIONS**  
black laminate printer pullout  
bottom shelf

Style Number	List Price
PPOS	225

**Specifications**

- 8 Earth magnets, 1 magnetic marker cup holder and 1 magnetic dry eraser

**Specifications**

- 6.5' Power cord. Switch with touch dimmer
- 36 LEDs per foot
- 4.6 Watts per foot
- 91 Lumens per watt
- Please note when ganging.
- Overhead tasklight cord is located on the right facing side. If the opposite location is required please contact customer service.

**Specifications**





- Starter kit includes Infeed, 1 Puck Interior Light and the ability to daisy chain up to 6 total Puck Lights
- (1) LED Puck Light with 30W power drive and switch
- Recessed fixture
- 12V linking cord 98"L
- Silver finish
- 50,000 hour life
- 2 watt per light

**Notes**

- Available on: Overhead/Tower Units with glass doors or no doors
- Power drive included, Light only

**Specifications**

- Black Laminate pullout shelf on suspension
- Black grommet
- Adjustable Shelf



**PEDESTAL MODIFICATIONS**

add veneer kneespace cabinets - base

Style Number	List Price
Add Box/Box/File or File/File P40B	1025
Add Lateral File 29" W P41B	1255
Add Multi-File - 31"W P42B	1255
Add Storage With Doors 29"W P43B	1140
Add CPU /Printer Cabinet - Open P44B	1140

**PEDESTAL MODIFICATIONS**

modify drawer configurations

Style Number	List Price
File/File to Box/Box/File P6	55 Per ped
Box/Box/File to File/File P6	55 Per ped
Lateral File to 2 Box Drawers P8	100 Per ped

**POWER / DATA**

power supply cordset

Style Number	List Price
PD717	100

**PRODUCT MODIFICATIONS**

modify width - open kneespace

Style Number	List Price
MOD-1	125

**Specifications**

- Multi-file specify Box/Box Left or Right

Notes  
- Add additional Standard Cabinets To Kneespace Area.

**Specifications**


- Modify File/File To Box/Box/File - Any Unit

**Specifications**

- SIZE: 10.75"L x 2.0"W x 1.06"H  
- (5) Outlets w/ 10' cord  
- Surge suppression (720 Joules)  
- 15 Amp breaker  
- Available on: Vertical Panels, Cabinet Interiors, and under tops

**Specifications**

- Modify width down on any unit with an open kneespace: desk, workstation credenza, bridge, return




**PRODUCT MODIFICATIONS**  
 modify width - open/closed storage

Style Number	List Price
MOD-2	250


**PRODUCT MODIFICATIONS**  
 modify width - outside of mod-1, mod-2

Style Number	List Price
MOD-3	Contact for pricing



**PRODUCT MODIFICATIONS**  
 modify width - tackboard, veneer panel, or a glassboard

Style Number	List Price
MOD-4	50



**PRODUCT MODIFICATIONS**  
 modify depth - decrease depth

Style Number	List Price
MOD-5	125

**Specifications**

- Modify width down on any unit with open or closed storage section: overheads, wall hung units, storage credenzas, towers

**Specifications**

- Width modification outside of MOD-1 & MOD-2

**Specifications**




- Modify width down on tackboard, veneer panel, or a overhead glassboard

**Specifications**

- Modify depth down (minimum depth for a unit with drawers is 21" D)

**Notes**

- Ex. 24" to 21", 30" to 24", and 36" to 30"



**PRODUCT MODIFICATIONS**  
modify depth - increase depth

**PRODUCT MODIFICATIONS**  
modify height

**REFRIGERATOR MODIFICATION**  
refrigerator cabinet modification

**SHELF MODIFICATIONS**  
glass shelves - tempered full width  
26" - 35"

Style Number	List Price
MOD-6	Add 10%

Style Number	List Price
MOD-7	Contact for pricing

Style Number	List Price
REF01	205

Style Number	List Price
26"W - 35"W x 14"D Shelf GS14F	90

**Specifications**

- Increase depth by no more than 6"

Notes

- Ex. 24" to 30", 30" to 36", and 36" to 42"
- Add 10% to the unit you want to increase the depth of by no more than 6"

**Specifications**

- Modify height of a unit

**Specifications**



- Open back cutout for venting
- Moisture sponge mat
- Contaminate ledge
- Contact customer service for maximum refrigerator size (Changes based on unit).

Notes

- Available on: 36" and 42" Storage Credenzas

**Specifications**

- Glass Shelves Replace Wood Shelf In Open Or Glass Door Cabinet. Also Order Interior Cabinet Lighting.



**SHELF MODIFICATIONS**  
tempered glass shelves for half cabinet 17- 1/2" widths

**SHELF MODIFICATIONS**  
heavy duty solid wood bookcase replacement shelves

Style Number	List Price
14-1/2"W - 17- 1/2"W x 14"D Shelf GS14H	70 ea.

Style Number	List Price
1" Wood Shelf 14" Deep S714F	80 ea.
1" Wood Shelf 24" Deep S714FX	160 ea.

**Specifications**


- Glass Shelves Replace Wood Shelf In Open Or Glass Door Cabinet. Also Order Interior Cabinet Lighting.

**Specifications**

- 1" Solid Lumber Core Shelves Replace Standard 3/4" Plywood Adjustable And Fixed Shelves

**Notes**

- Replace only adjustable shelves between cabinet light and fixed lower wood shelf.



**SPECIALTY VENEER ACCENTS**  
crotch mahogany infield with  
mitered border

Style Number	List Price
TCB-1 - 84 x 36/42	Contact
TCB-2 - 72 x 36/42	for Pricing
TCB-3 - 72 x 30/36	

**SPECIALTY VENEER ACCENTS**  
crotch mahogany desk pedestal  
fronts


Style Number	List Price
FCC1	Contact for Pricing

**Specifications**

- Center balanced butt and book matched crotch mahogany
- 35 sheen non-rubbed finish ensures maximum durability

**Specifications**

- Center balanced butt and book matched crotch mahogany
- 35 sheen non-rubbed finish ensures maximum durability



Box/Box/File or File/File  
Drawer Fronts



All Three Illustrations Represent: (1) FCC2



Both Illustrations  
Represent: FCC3



52" Center Balance Butt  
& Bookmatch

SPECIALTY VENEER ACCENTS  
crotch mahogany drawer fronts

Style Number	List Price
FCC1	Contact for Pricing

SPECIALTY VENEER ACCENTS  
crotch mahogany double width  
panel fronts

Style Number	List Price
FCC2	Contact for Pricing

SPECIALTY VENEER ACCENTS  
crotch mahogany double width/  
double height fronts

Style Number	List Price
FCC3	Contact for Pricing

Specifications


- Center balanced butt and book matched crotch mahogany
- 35 sheen non-rubbed finish ensures maximum durability

Specifications


- Center balanced butt and book matched crotch mahogany
- 35 sheen non-rubbed finish ensures maximum durability

Specifications


- Center balanced butt and book matched crotch mahogany
- 35 sheen non-rubbed finish ensures maximum durability



RECTANGLE INLAY



CURVED INLAY



**SPECIALTY VENEER ACCENTS**  
rectangle inlay - ebony hardwood  
inlay detail

Style Number	List Price
T10SA	Contact for Pricing

**SPECIALTY VENEER ACCENTS**  
bowfront inlay - ebony hardwood  
inlay detail

Style Number	List Price
T11SA	Contact for Pricing

**TOOL CHANNEL ACCESSORIES**  
recessed aluminum tool channel

Style Number	List Price
ATB02	5 per 1"W

**Specifications**

- 3/16" x 3/16" thick hardwood ebony inlay is handfitted and glued into routed top and sanded flush with surface
- Inlay is finished over with all finish steps

Notes  
- Ebony inlay not recommended in: Koko Cherry

**Specifications**

- 3/16" x 3/16" thick hardwood ebony inlay is handfitted and glued into routed top and sanded flush with surface
- Inlay is finished over with all finish steps

Notes  
- Ebony inlay not recommended in: Koko Cherry

**Specifications**

- Anodized aluminum finish
- Fully recessed
- Finish matches anodized aluminum accessories
- Can be specified with fabric tack surface mounted above channel

Notes  
- If using tool channel with wallhung overhead, a veneer panel must be specified.





**TOOL CHANNEL ACCESSORIES**  
iphone holder

**TOOL CHANNEL ACCESSORIES**  
large shelf

**TOOL CHANNEL ACCESSORIES**  
pencil pen holder

**TOOL CHANNEL ACCESSORIES**  
tablet holder

Style Number	List Price
ATB31	125

Style Number	List Price
ATB35	130

Style Number	List Price
ATB38	120

Style Number	List Price
ATB30	145

**Specifications**

- For Console/Wall Hung Back Panels With Optional Tool Bar
- 18 Gauge Steel - Stamp Formed
- Silver Powdercoat Finish
- 5" x 3 -3/4"W
- Non-slip Neoprene pad

**Specifications**



- 12"W x 10"D

**Specifications**

- For Console/Wall Hung Back Panels With Optional Tool Bar
- 18 Gauge Steel - Stamp Formed
- Silver Powdercoat Finish
- 5"H x 4"W x 4"D

**Specifications**

- For Console/Wall Hung Back Panels With Optional Tool Bar
- 18 Gauge Steel - Stamp Formed
- Silver Powdercoat Finish
- 10" x 8"W
- Non-slip Neoprene pad



**WIRE MANAGEMENT**  
horizontal j-channel wire management raceway

**WIRE MANAGEMENT**  
horizontal wire management raceway

**WIRE MANAGEMENT**  
horizontal u-channel wire management raceway

**WIRE MANAGEMENT**  
coil wire manager

Style Number	List Price
W1	80 Per 4' section

Style Number	List Price
W21	35

Style Number	List Price
W2A	80 Per 4' section

Style Number	List Price
W18	160

**Specifications**

- 4' section for field installation.
- The "J" shape black thermoplastic wire raceway may be added to specified worksurface tops to provide concealed channeling of wires to and from worksurface grommets. For use in open kneespace areas, raceway is attachable to top of back panel with pan head screws. Interior dimensions are 1" x 1- 1/2" providing ample storage for multiple wires and excess cable. Front of raceway flexes out for easy cord insertion.

- Notes
- Units w/ Wire Channel Standard.
  - Field Installation

**Specifications**

- 10"W x 1.5"D x 1.25"H
- Grey Wire Manager (10.5")
- Power and data cables can be discretely housed and managed with the W21 Gray Wire Manager. This can be mounted in any location to metal frame or underside of conference tables and runs cables through a 1" channel from power module to hollow steel legs. This keeps cables organized under the table top. Release clips make it simple to snap on and off the Wire Manager for easy organization and access after attached to the table



- Notes
- Field installed

**Specifications**

- 4' section for field installation.
- Notes
- Units w/ Wire Channel Standard.
  - Field Installation

**Specifications**

- Weighted Base, Table attachment plate
  - 39- 1/2" Length
  - Black
- Notes
- Location



**WIRE MANAGEMENT**  
standard location grommets -  
factory installed

Style Number	List Price
Standard Location Grommet	
Black	
TM30	50
Silver	
TM31	50
Antique Brass	
TM33	50

**WIRE MANAGEMENT**  
non-standard location grommets -  
factory installed

Style Number	List Price
Non-Standard Location Grommet	
Black	
TM30 -NS	95
Silver	
TM31 -NS	95
Antique Brass	
TM33 -NS	95

**WIRE MANAGEMENT**  
black plastic vertical surface  
grommets - factory installed

Style Number	List Price
Standard Location Grommet	
TM50-C	50
Non-Standard Location Grommet	
TM50-NS	95

**Specifications**

- 1 -5/8" Metal Grommet

Notes  
- \*Units w/ Grommets Standard Are Noted Under Standard Features. Grommets Match Pull Finish - Standard (Unless Specified Otherwise)

**Specifications**

- 1 -5/8" Metal Grommet

Notes  
- \*Units w/ Grommets Standard Are Noted Under Standard Features. Grommets Match Pull Finish - Standard (Unless Specified Otherwise)

**Specifications**

- 2 " Black Plastic Grommet

Notes  
- Standard Location is Bottom Center

Aircharge wireless charging grommet

Style Number	List Price
 ACWG WIRELESS GROMMET	\$195

Specifications

- › When used with GROVE Tables an additional \$350 LIST will apply for the special cutout required.
- › AirCharge offers a convenient way to charge any Qi compatible smartphone or device without the need to carry charging cables or find an available power outlet.
- › The Aircharge is powered by the latest Qi compliant IC offering reliable and efficient wireless charging in a convenient 3" grommet hub. Simply place your phone on the Aircharge and an LED will confirm pairing and begin wireless charging.
- › Recess: Efficient space conservation and quick access
- › Input: DC 5V (with included AC power adapter), DC 9V, 1.67A (with optional QC 2.0 power adapter)
- › Output: 5 watts Max. with DC 5V, 2A power adapter, 10 watts Max. with QC 2.0 power adapter
- › Qi V1.2 compliant IC
- › Charging distance: 6mm Max.

Available: All DARRAN collections



Cove power unit - non-linking

Style Number		List Price
PD-COVE PLUG		\$600
Non-linking version		


### Specifications

- › Size 5.75"L x 2.5"W
- › (2) 15 Amp Receptacles and (2) USB charging ports
- › Surface Mount
- › 108" Cord
- › Standard Silver Finish, Available in White or Black Finish upon request
- › ETL Listed

Available: All DARRAN collections



Cove corded series

Style Number	List Price
 PD-COVE-PKO	\$800

## Specifications

- › Size 9.5”L x 2.5”W x 3.18”D
- › When used with GROVE Tables an additional \$350 LIST will apply for the special cutout required.
- › (2) Power Receptacles, (2) 2.1 Amp USB charging ports and (1) Telecom Plate Knockout
- › Surface Mount
- › 108” Cord
- › Standard Silver Finish, Available in White or Black Finish upon request
- › ETL Listed

Available: All DARRAN collections

### Telecom Plates

RJ45 (1)	\$35
RJ45 (2)	\$70
RJ45 (3)	\$105
USB (1)	\$70
USB (2)	\$140
RJ11/RJ45	\$70
RJ45/USB	\$105
RJ45/HDMI	\$190
HDMI/DVI	\$325
HDMI/USB	\$205
HDMI/VGA	\$240
VGA/MINI-STEREO	\$155
VGA/USB	\$175

This pod can have up to 1 total plates.  
 \*All telecom connectors sold separately.



# DARRAN®

## Soba wire manager

Style Number	List Price
STARTER UNITS	
SCDW	\$200
White wire manager	
SCDB	\$200
Black wire manager	

## Specifications

- › Dimensions: 9ft x 9in x 3.15in
- › Zips up, bundles and routes loose, messy cables into a single tube
- › Routes and guides cables behind desks, TVs, and anywhere cables tend to get messy
- › Accommodates large or small cables, up to three cables at once
- › Support channels, used to route cables, include powerful adhesive backing which allows easy attachment to surfaces.

Available: All DARRAN collections

## Power & Data Options



# DARRAN®

## VILLA Power unit - non-linking

Style Number	List Price
 VIL-C PLUG	\$515
Non-Linking	

## Specifications

- › Size: Top Grommet 5.68”L X 3.39”W; Under Top 12”L x 3.13”W x 3.08”D
- › (2) Power receptacles; (2) USB charging ports and (1) Knockouts for RJ45 Data Ports
- › Surface Mount
- › 72” Cord (Longer cord available, contact Customer Service)
- › Standard Silver Finish, Black Finish available upon request
- › UL or ETL Certified

Available: All DARRAN collections, excludes Grove

RJ45 Knockout	
RJ45 (1)	\$35

## Power & Data Options

